

Network Working Group  
Request for Comments: 2789  
Obsoletes: 2249, 1566  
Category: Standards Track

N. Freed  
Innosoft  
S. Kille  
MessagingDirect Ltd.  
March 2000

## Mail Monitoring MIB

### Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

### Copyright Notice

Copyright (C) The Internet Society (2000). All Rights Reserved.

### Introduction

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. Specifically, this memo extends the basic Network Services Monitoring MIB defined in RFC 2788 [16] to allow monitoring of Message Transfer Agents (MTAs). It may also be used to monitor MTA components within gateways.

### Table of Contents

1	The SNMP Network Management Framework .....	2
2	Message Flow Model .....	3
3	MTA Objects .....	3
4	Definitions .....	4
5	Changes made since RFC 2249 .....	29
6	Acknowledgements .....	30
7	References .....	30
8	Security Considerations .....	31
9	Author and Chair Addresses .....	32
10	Full Copyright Statement .....	33

## 1. The SNMP Network Management Framework

The SNMP Management Framework presently consists of five major components:

- o An overall architecture, described in RFC 2571 [1].
- o Mechanisms for describing and naming objects and events for the purpose of management. The first version of this Structure of Management Information (SMI) is called SMIV1 and described in STD 16, RFC 1155 [2], STD 16, RFC 1212 [3] and RFC 1215 [4]. The second version, called SMIV2, is described in STD 58, RFC 2578 [5], STD 58, RFC 2579 [6] and STD 58, RFC 2580 [7].
- o Message protocols for transferring management information. The first version of the SNMP message protocol is called SNMPv1 and described in STD 15, RFC 1157 [8]. A second version of the SNMP message protocol, which is not an Internet standards track protocol, is called SNMPv2c and described in RFC 1901 [9] and RFC 1906 [10]. The third version of the message protocol is called SNMPv3 and described in RFC 1906 [10], RFC 2572 [11] and RFC 2574 [12].
- o Protocol operations for accessing management information. The first set of protocol operations and associated PDU formats is described in STD 15, RFC 1157 [8]. A second set of protocol operations and associated PDU formats is described in RFC 1905 [13].
- o A set of fundamental applications described in RFC 2573 [14] and the view-based access control mechanism described in RFC 2575 [15].

Managed objects are accessed via a virtual information store, termed the Management Information Base or MIB. Objects in the MIB are defined using the mechanisms defined in the SMI.

This memo specifies a MIB module that is compliant to the SMIV2. A MIB conforming to the SMIV1 can be produced through the appropriate translations. The resulting translated MIB must be semantically equivalent, except where objects or events are omitted because no translation is possible (use of Counter64). Some machine readable information in SMIV2 will be converted into textual descriptions in SMIV1 during the translation process. However, this loss of machine readable information is not considered to change the semantics of the MIB.

## 2. Message Flow Model

A general model of message flow inside an MTA has to be presented before a MIB can be described. Generally speaking, message flow is modelled as occurring in four steps:

- (1) Messages are received by the MTA from User Agents, Message Stores, other MTAs, and gateways.
- (2) The "next hop" for the each message is determined. This is simply the destination the message is to be transmitted to; it may or may not be the final destination of the message. Multiple "next hops" may exist for a single message (as a result of either having multiple recipients or distribution list expansion); this may make it necessary to duplicate messages.
- (3) If necessary messages are converted into the format that's appropriate for the next hop. Conversion operations may be successful or unsuccessful.
- (4) Messages are transmitted to the appropriate destination, which may be a User Agent, Message Store, another MTA, or gateway.

Storage of messages in the MTA occurs at some point during this process. However, it is important to note that storage may occur at different and possibly even multiple points during this process. For example, some MTAs expand messages into multiple copies as they are received. In this case (1), (2), and (3) may all occur prior to storage. Other MTAs store messages precisely as they are received and perform all expansions and conversions during retransmission processing. So here only (1) occurs prior to storage. This leads to situations where, in general, a measurement of messages received may not equal a measurement of messages in store, or a measurement of messages stored may not equal a measurement of messages retransmitted, or both.

## 3. MTA Objects

If there are one or more MTAs on the host, the following MIB may be used to monitor them. Any number of the MTAs on a single host or group of hosts may be monitored. Each MTA is dealt with as a separate network service and has its own applTable entry in the Network Services Monitoring MIB.

The MIB described in this document covers only the portion which is specific to the monitoring of MTAs. The network service related part of the MIB is covered in RFC 2788 [16].

This MIB defines four tables. The first of these contains per-MTA information that isn't specific to any particular part of MTA. The second breaks each MTA down into a collection of separate components called groups. Groups are described in detail in the comments embedded in the MIB below. The third table provides a means of correlating associations tracked by the network services MIB with specific groups within different MTAs. Finally, the fourth table provides a means of tracking any errors encountered during the operation of the MTA. The first two tables must be implemented to conform with this MIB; the last two are optional.

#### 4. Definitions

```
MTA-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
  OBJECT-TYPE, Counter32, Gauge32, MODULE-IDENTITY, mib-2
  FROM SNMPv2-SMI
  TimeInterval
  FROM SNMPv2-TC
  MODULE-COMPLIANCE, OBJECT-GROUP
  FROM SNMPv2-CONF
  SnmpAdminString
  FROM SNMP-FRAMEWORK-MIB
  applIndex, URLString
  FROM NETWORK-SERVICES-MIB;
```

```
mta MODULE-IDENTITY
```

```
  LAST-UPDATED "200003030000Z"
  ORGANIZATION "IETF Mail and Directory Management Working Group"
  CONTACT-INFO
    "      Ned Freed

    Postal: Innosoft International, Inc.
           1050 Lakes Drive
           West Covina, CA 91790
           US

    Tel: +1 626 919 3600
    Fax: +1 626 919 3614

    E-Mail: ned.freed@innosoft.com"
```

```
DESCRIPTION
```

```
"The MIB module describing Message Transfer Agents (MTAs)"
REVISION "200003030000Z"
```

```
DESCRIPTION
```

```
"This revision, published in RFC 2789, changes a number of
DisplayStrings to SnmpAdminStrings. Note that this change
```

is not strictly supported by SMIV2. However, the alternative of deprecating the old objects and defining new objects would have a more adverse impact on backward compatibility and interoperability, given the particular semantics of these objects. The defining reference for distinguished names has also been updated from RFC 1779 to RFC 2253."

REVISION "199905120000Z"

DESCRIPTION

"This revision fixes a number of technical problems found in previous versions: The conformance groups for different versions of this MIB have been corrected, the recommendation that an empty string be returned if the last operation was successful has been removed from mtaGroupInboundRejectionReason and mtaGroupOutboundConnectFailureReason as it conflicts with the stated purpose of these variables, and the required mtaStatusCode entry has been added to MtaGroupErrorEntry. It should be noted that this last change in no way affects the bits on the wire."

REVISION "199708170000Z"

DESCRIPTION

"This revision, published in RFC 2249, adds the mtaGroupDescription and mtaGroupURL fields, conversion operation counters, a group hierarchy description mechanism, counters for specific errors, oldest message IDs, per-MTA and per-group loop counters, and a new table for tracking any errors an MTA encounters."

REVISION "199311280000Z"

DESCRIPTION

"The original version of this MIB was published in RFC 1566"  
 ::= {mib-2 28}

mtaTable OBJECT-TYPE

SYNTAX SEQUENCE OF MtaEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table holding information specific to an MTA."

::= {mta 1}

mtaEntry OBJECT-TYPE

SYNTAX MtaEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The entry associated with each MTA."

INDEX {applIndex}

::= {mtaTable 1}

```

MtaEntry ::= SEQUENCE {
    mtaReceivedMessages
        Counter32,
    mtaStoredMessages
        Gauge32,
    mtaTransmittedMessages
        Counter32,
    mtaReceivedVolume
        Counter32,
    mtaStoredVolume
        Gauge32,
    mtaTransmittedVolume
        Counter32,
    mtaReceivedRecipients
        Counter32,
    mtaStoredRecipients
        Gauge32,
    mtaTransmittedRecipients
        Counter32,
    mtaSuccessfulConvertedMessages
        Counter32,
    mtaFailedConvertedMessages
        Counter32,
    mtaLoopsDetected
        Counter32
}

```

mtaReceivedMessages OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of messages received since MTA initialization.  
This includes messages transmitted to this MTA from other  
MTAs as well as messages that have been submitted to the  
MTA directly by end-users or applications."

::= {mtaEntry 1}

mtaStoredMessages OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of messages currently stored in the MTA.  
This includes messages that are awaiting transmission to  
some other MTA or are waiting for delivery to an end-user  
or application."

::= {mtaEntry 2}

## mtaTransmittedMessages OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of messages transmitted since MTA initialization. This includes messages that were transmitted to some other MTA or are waiting for delivery to an end-user or application."

::= { mtaEntry 3 }

## mtaReceivedVolume OBJECT-TYPE

SYNTAX Counter32

UNITS "K-octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total volume of messages received since MTA initialization, measured in kilo-octets. This volume should include all transferred data that is logically above the mail transport protocol level. For example, an SMTP-based MTA should use the number of kilo-octets in the message header and body, while an X.400-based MTA should use the number of kilo-octets of P2 data. This includes messages transmitted to this MTA from other MTAs as well as messages that have been submitted to the MTA directly by end-users or applications."

::= { mtaEntry 4 }

## mtaStoredVolume OBJECT-TYPE

SYNTAX Gauge32

UNITS "K-octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total volume of messages currently stored in the MTA, measured in kilo-octets. This volume should include all stored data that is logically above the mail transport protocol level. For example, an SMTP-based MTA should use the number of kilo-octets in the message header and body, while an X.400-based MTA would use the number of kilo-octets of P2 data. This includes messages that are awaiting transmission to some other MTA or are waiting for delivery to an end-user or application."

::= { mtaEntry 5 }

## mtaTransmittedVolume OBJECT-TYPE

SYNTAX Counter32

```
UNITS "K-octets"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
  "The total volume of messages transmitted since MTA
  initialization, measured in kilo-octets. This volume should
  include all transferred data that is logically above the mail
  transport protocol level. For example, an SMTP-based MTA
  should use the number of kilo-octets in the message header
  and body, while an X.400-based MTA should use the number of
  kilo-octets of P2 data. This includes messages that were
  transmitted to some other MTA or are waiting for delivery
  to an end-user or application."
 ::= { mtaEntry 6 }
```

```
mtaReceivedRecipients OBJECT-TYPE
  SYNTAX Counter32
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "The total number of recipients specified in all messages
    received since MTA initialization. Recipients this MTA
    has no responsibility for, i.e. inactive envelope
    recipients or ones referred to in message headers,
    should not be counted even if information about such
    recipients is available. This includes messages
    transmitted to this MTA from other MTAs as well as
    messages that have been submitted to the MTA directly
    by end-users or applications."
 ::= { mtaEntry 7 }
```

```
mtaStoredRecipients OBJECT-TYPE
  SYNTAX Gauge32
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "The total number of recipients specified in all messages
    currently stored in the MTA. Recipients this MTA has no
    responsibility for, i.e. inactive envelope recipients or
    ones referred to in message headers, should not be
    counted. This includes messages that are awaiting
    transmission to some other MTA or are waiting for
    delivery to an end-user or application."
 ::= { mtaEntry 8 }
```

```
mtaTransmittedRecipients OBJECT-TYPE
  SYNTAX Counter32
  MAX-ACCESS read-only
```

STATUS current

DESCRIPTION

"The total number of recipients specified in all messages transmitted since MTA initialization. Recipients this MTA had no responsibility for, i.e. inactive envelope recipients or ones referred to in message headers, should not be counted. This includes messages that were transmitted to some other MTA or are waiting for delivery to an end-user or application."

::= {mtaEntry 9}

mtaSuccessfulConvertedMessages OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of messages that have been successfully converted from one form to another since MTA initialization."

::= {mtaEntry 10}

mtaFailedConvertedMessages OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of messages for which an unsuccessful attempt was made to convert them from one form to another since MTA initialization."

::= {mtaEntry 11}

mtaLoopsDetected OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A message loop is defined as a situation where the MTA decides that a given message will never be delivered to one or more recipients and instead will continue to loop endlessly through one or more MTAs. This variable counts the number of times the MTA has detected such a situation since MTA initialization. Note that the mechanism MTAs use to detect loops (e.g., trace field counting, count of references to this MTA in a trace field, examination of DNS or other directory information, etc.), the level at which loops are detected (e.g., per message, per recipient, per directory entry, etc.), and the handling of a loop once it is detected (e.g., looping

messages are held, looping messages are bounced or sent to the postmaster, messages that the MTA knows will loop won't be accepted, etc.) vary widely from one MTA to the next and cannot be inferred from this variable."

```
::= {mtaEntry 12}
```

```
-- MTAs typically group inbound reception, queue storage, and
-- outbound transmission in some way, rather than accounting for
-- such operations only across the MTA as a whole. In the most
-- extreme case separate information will be maintained for each
-- different entity that receives messages and for each entity
-- the MTA stores messages for and delivers messages to. Other
-- MTAs may elect to treat all reception equally, all queue
-- storage equally, all deliveries equally, or some combination
-- of this. Overlapped groupings are also possible, where an MTA
-- decomposes its traffic in different ways for different
-- purposes.

-- In any case, a grouping abstraction is an extremely useful for
-- breaking down the activities of an MTA. For purposes of
-- labelling this will be called a "group" in this MIB.

-- Each group contains all the variables needed to monitor all
-- aspects of an MTA's operation. However, the fact that all
-- groups contain all possible variables does not imply that all
-- groups must use all possible variables. For example, a single
-- group might be used to monitor only one kind of event (inbound
-- processing, outbound processing, or storage). In this sort of
-- configuration any counters that are unused as a result of a
-- given MTA's use of the group construct must be inaccessible;
-- e.g., returning either a noSuchName error (for an SNMPv1 get),
-- or a noSuchInstance exception (for an SNMPv2 get).

-- Groups can be created at any time after MTA initialization. Once
-- a group is created it should not be deleted or its mtaGroupIndex
-- changed unless the MTA is reinitialized.

-- Groups are not necessarily mutually exclusive. A given event may
-- be recorded by more than one group, a message may be seen as
-- stored by more than one group, and so on. Groups should be all
-- inclusive, however: if groups are implemented all aspects of an
-- MTA's operation should be registered in at least one group.
-- This freedom lets implementors use different sets of groups to
-- provide different "views" of an MTA.

-- The possibility of overlap between groups means that summing
-- variables across groups may not produce values equal to those in
-- the mtaTable. mtaTable should always provide accurate information
```

```
-- about the MTA as a whole.

-- The term "channel" is often used in MTA implementations; channels
-- are usually, but not always, equivalent to a group. However,
-- this MIB does not use the term "channel" because there is no
-- requirement that an MTA supporting this MIB has to map its
-- "channel" abstraction one-to-one onto the MIB's group abstraction.

-- An MTA may create a group or group of groups at any time. Once
-- created, however, an MTA cannot delete an entry for a group from
-- the group table. Deletion is only allowed when the MTA is
-- reinitialized, and is not required even then. This restriction
-- is imposed so that monitoring agents can rely on group
-- assignments being consistent across multiple query operations.

-- Groups may be laid out so as to form a hierarchical arrangement,
-- with some groups acting as subgroups for other groups.
-- Alternately, disjoint groups of groups may be used to provide
-- different sorts of "snapshots" of MTA operation. The
-- mtaGroupHierarchy variable provides an indication of how each
-- group fits into the overall arrangement being used.

-- Note that SNMP also defines and uses term "group". MTA groups are
-- NOT the same as SNMP groups.
```

```
mtaGroupTable OBJECT-TYPE
    SYNTAX SEQUENCE OF MtaGroupEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The table holding information specific to each MTA group."
    ::= { mta 2 }
```

```
mtaGroupEntry OBJECT-TYPE
    SYNTAX MtaGroupEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The entry associated with each MTA group."
    INDEX { applIndex, mtaGroupIndex }
    ::= { mtaGroupTable 1 }
```

```
MtaGroupEntry ::= SEQUENCE {
    mtaGroupIndex
        INTEGER,
    mtaGroupReceivedMessages
        Counter32,
    mtaGroupRejectedMessages
```

```
    Counter32,  
mtaGroupStoredMessages  
    Gauge32,  
mtaGroupTransmittedMessages  
    Counter32,  
mtaGroupReceivedVolume  
    Counter32,  
mtaGroupStoredVolume  
    Gauge32,  
mtaGroupTransmittedVolume  
    Counter32,  
mtaGroupReceivedRecipients  
    Counter32,  
mtaGroupStoredRecipients  
    Gauge32,  
mtaGroupTransmittedRecipients  
    Counter32,  
mtaGroupOldestMessageStored  
    TimeInterval,  
mtaGroupInboundAssociations  
    Gauge32,  
mtaGroupOutboundAssociations  
    Gauge32,  
mtaGroupAccumulatedInboundAssociations  
    Counter32,  
mtaGroupAccumulatedOutboundAssociations  
    Counter32,  
mtaGroupLastInboundActivity  
    TimeInterval,  
mtaGroupLastOutboundActivity  
    TimeInterval,  
mtaGroupLastOutboundAssociationAttempt  
    TimeInterval,  
mtaGroupRejectedInboundAssociations  
    Counter32,  
mtaGroupFailedOutboundAssociations  
    Counter32,  
mtaGroupInboundRejectionReason  
    SnmpAdminString,  
mtaGroupOutboundConnectFailureReason  
    SnmpAdminString,  
mtaGroupScheduledRetry  
    TimeInterval,  
mtaGroupMailProtocol  
    OBJECT IDENTIFIER,  
mtaGroupName  
    SnmpAdminString,  
mtaGroupSuccessfulConvertedMessages
```

```

    Counter32,
    mtaGroupFailedConvertedMessages
    Counter32,
    mtaGroupDescription
    SnmpAdminString,
    mtaGroupURL
    URLString,
    mtaGroupCreationTime
    TimeInterval,
    mtaGroupHierarchy
    INTEGER,
    mtaGroupOldestMessageId
    SnmpAdminString,
    mtaGroupLoopsDetected
    Counter32
}

mtaGroupIndex OBJECT-TYPE
    SYNTAX INTEGER (1..2147483647)
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The index associated with a group for a given MTA."
    ::= {mtaGroupEntry 1}

mtaGroupReceivedMessages OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of messages received to this group since
        group creation."
    ::= {mtaGroupEntry 2}

mtaGroupRejectedMessages OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of messages rejected by this group since
        group creation."
    ::= {mtaGroupEntry 3}

mtaGroupStoredMessages OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION

```

"The total number of messages currently stored in this group's queue."  
 ::= {mtaGroupEntry 4}

mtaGroupTransmittedMessages OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of messages transmitted by this group since group creation."  
 ::= {mtaGroupEntry 5}

mtaGroupReceivedVolume OBJECT-TYPE

SYNTAX Counter32  
UNITS "K-octets"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The total volume of messages received to this group since group creation, measured in kilo-octets. This volume should include all transferred data that is logically above the mail transport protocol level. For example, an SMTP-based MTA should use the number of kilo-octets in the message header and body, while an X.400-based MTA should use the number of kilo-octets of P2 data."  
 ::= {mtaGroupEntry 6}

mtaGroupStoredVolume OBJECT-TYPE

SYNTAX Gauge32  
UNITS "K-octets"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The total volume of messages currently stored in this group's queue, measured in kilo-octets. This volume should include all stored data that is logically above the mail transport protocol level. For example, an SMTP-based MTA should use the number of kilo-octets in the message header and body, while an X.400-based MTA would use the number of kilo-octets of P2 data."  
 ::= {mtaGroupEntry 7}

mtaGroupTransmittedVolume OBJECT-TYPE

SYNTAX Counter32  
UNITS "K-octets"  
MAX-ACCESS read-only  
STATUS current

## DESCRIPTION

"The total volume of messages transmitted by this group since group creation, measured in kilo-octets. This volume should include all transferred data that is logically above the mail transport protocol level. For example, an SMTP-based MTA should use the number of kilo-octets in the message header and body, while an X.400-based MTA should use the number of kilo-octets of P2 data."

::= {mtaGroupEntry 8}

## mtaGroupReceivedRecipients OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The total number of recipients specified in all messages received to this group since group creation. Recipients this MTA has no responsibility for should not be counted."

::= {mtaGroupEntry 9}

## mtaGroupStoredRecipients OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The total number of recipients specified in all messages currently stored in this group's queue. Recipients this MTA has no responsibility for should not be counted."

::= {mtaGroupEntry 10}

## mtaGroupTransmittedRecipients OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The total number of recipients specified in all messages transmitted by this group since group creation. Recipients this MTA had no responsibility for should not be counted."

::= {mtaGroupEntry 11}

## mtaGroupOldestMessageStored OBJECT-TYPE

SYNTAX TimeInterval

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Time since the oldest message in this group's queue was

```
    placed in the queue."  
 ::= {mtaGroupEntry 12}
```

mtaGroupInboundAssociations OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of current associations to the group, where the  
group is the responder."

```
 ::= {mtaGroupEntry 13}
```

mtaGroupOutboundAssociations OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of current associations to the group, where the  
group is the initiator."

```
 ::= {mtaGroupEntry 14}
```

mtaGroupAccumulatedInboundAssociations OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of associations to the group since  
group creation, where the MTA was the responder."

```
 ::= {mtaGroupEntry 15}
```

mtaGroupAccumulatedOutboundAssociations OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of associations from the group since  
group creation, where the MTA was the initiator."

```
 ::= {mtaGroupEntry 16}
```

mtaGroupLastInboundActivity OBJECT-TYPE

SYNTAX TimeInterval

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Time since the last time that this group had an active  
inbound association for purposes of message reception."

```
 ::= {mtaGroupEntry 17}
```

```
mtaGroupLastOutboundActivity OBJECT-TYPE
    SYNTAX TimeInterval
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Time since the last time that this group had a
        successful outbound association for purposes of
        message delivery."
    ::= {mtaGroupEntry 18}

mtaGroupLastOutboundAssociationAttempt OBJECT-TYPE
    SYNTAX TimeInterval
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Time since the last time that this group attempted
        to make an outbound association for purposes of
        message delivery."
    ::= {mtaGroupEntry 34}

mtaGroupRejectedInboundAssociations OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The total number of inbound associations the group has
        rejected, since group creation. Rejected associations
        are not counted in the accumulated association totals."
    ::= {mtaGroupEntry 19}

mtaGroupFailedOutboundAssociations OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The total number associations where the group was the
        initiator and association establishment has failed,
        since group creation. Failed associations are
        not counted in the accumulated association totals."
    ::= {mtaGroupEntry 20}

mtaGroupInboundRejectionReason OBJECT-TYPE
    SYNTAX SnmpAdminString
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The failure reason, if any, for the last association this
        group refused to respond to. If no association attempt
```

has been made since the MTA was initialized the value should be 'never'."  
 ::= {mtaGroupEntry 21}

mtaGroupOutboundConnectFailureReason OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The failure reason, if any, for the last association attempt this group initiated. If no association attempt has been made since the MTA was initialized the value should be 'never'."

::= {mtaGroupEntry 22}

mtaGroupScheduledRetry OBJECT-TYPE

SYNTAX TimeInterval

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The amount of time until this group is next scheduled to attempt to make an association."

::= {mtaGroupEntry 23}

mtaGroupMailProtocol OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"An identification of the protocol being used by this group. For an group employing OSI protocols, this will be the Application Context. For Internet applications, OID values of the form {applTCPProtoID port} or {applUDPProtoID port} are used for TCP-based and UDP-based protocols, respectively. In either case 'port' corresponds to the primary port number being used by the protocol. The usual IANA procedures may be used to register ports for new protocols. applTCPProtoID and applUDPProtoID are defined in the NETWORK-SERVICES-MIB, RFC 2788."

::= {mtaGroupEntry 24}

mtaGroupName OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A descriptive name for the group. If this group connects to a single remote MTA this should be the name of that MTA. If

this in turn is an Internet MTA this should be the domain name. For an OSI MTA it should be the string encoded distinguished name of the managed object using the format defined in RFC 2253. For X.400(1984) MTAs which do not have a Distinguished Name, the RFC 2156 syntax 'mta in globalid' used in X400-Received: fields can be used."

```
::= {mtaGroupEntry 25}
```

```
mtaGroupSuccessfulConvertedMessages OBJECT-TYPE
```

```
SYNTAX Counter32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The number of messages that have been successfully
converted from one form to another in this group
since group creation."
```

```
::= {mtaGroupEntry 26}
```

```
mtaGroupFailedConvertedMessages OBJECT-TYPE
```

```
SYNTAX Counter32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The number of messages for which an unsuccessful
attempt was made to convert them from one form to
another in this group since group creation."
```

```
::= {mtaGroupEntry 27}
```

```
mtaGroupDescription OBJECT-TYPE
```

```
SYNTAX SnmpAdminString
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A description of the group's purpose. This information is
intended to identify the group in a status display."
```

```
::= {mtaGroupEntry 28}
```

```
mtaGroupURL OBJECT-TYPE
```

```
SYNTAX URLString
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A URL pointing to a description of the group. This
information is intended to identify and briefly describe
the group in a status display."
```

```
::= {mtaGroupEntry 29}
```

```
mtaGroupCreationTime OBJECT-TYPE
    SYNTAX TimeInterval
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Time since this group was first created."
    ::= { mtaGroupEntry 30}

mtaGroupHierarchy OBJECT-TYPE
    SYNTAX INTEGER (-2147483648..2147483647)
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Describes how this group fits into the hierarchy. A
        positive value is interpreted as an mtaGroupIndex
        value for some other group whose variables include
        those of this group (and usually others). A negative
        value is interpreted as a group collection code: Groups
        with common negative hierarchy values comprise one
        particular breakdown of MTA activity as a whole. A
        zero value means that this MIB implementation doesn't
        implement hierarchy indicators and thus the overall
        group hierarchy cannot be determined."
    ::= { mtaGroupEntry 31}

mtaGroupOldestMessageId OBJECT-TYPE
    SYNTAX SnmpAdminString
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Message ID of the oldest message in the group's queue.
        Whenever possible this should be in the form of an
        RFC 822 msg-id; X.400 may convert X.400 message
        identifiers to this form by following the rules laid
        out in RFC2156."
    ::= { mtaGroupEntry 32}

mtaGroupLoopsDetected OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "A message loop is defined as a situation where the MTA
        decides that a given message will never be delivered to
        one or more recipients and instead will continue to
        loop endlessly through one or more MTAs. This variable
        counts the number of times the MTA has detected such a
        situation in conjunction with something associated with
```

this group since group creation. Note that the mechanism MTAs use to detect loops (e.g., trace field counting, count of references to this MTA in a trace field, examination of DNS or other directory information, etc.), the level at which loops are detected (e.g., per message, per recipient, per directory entry, etc.), and the handling of a loop once it is detected (e.g., looping messages are held, looping messages are bounced or sent to the postmaster, messages that the MTA knows will loop won't be accepted, etc.) vary widely from one MTA to the next and cannot be inferred from this variable."

```
::= {mtaGroupEntry 33}
```

```
-- The mtaGroupAssociationTable provides a means of correlating
-- entries in the network services association table with the
-- MTA group responsible for the association.
```

```
mtaGroupAssociationTable OBJECT-TYPE
```

```
SYNTAX SEQUENCE OF MtaGroupAssociationEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The table holding information regarding the associations
for each MTA group."
```

```
::= {mta 3}
```

```
mtaGroupAssociationEntry OBJECT-TYPE
```

```
SYNTAX MtaGroupAssociationEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The entry holding information regarding the associations
for each MTA group."
```

```
INDEX {applIndex, mtaGroupIndex, mtaGroupAssociationIndex}
```

```
::= {mtaGroupAssociationTable 1}
```

```
MtaGroupAssociationEntry ::= SEQUENCE {
```

```
mtaGroupAssociationIndex
```

```
INTEGER
```

```
}
```

```
mtaGroupAssociationIndex OBJECT-TYPE
```

```
SYNTAX INTEGER (1..2147483647)
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"Reference into association table to allow correlation of
this group's active associations with the association table."
```

```

 ::= {mtaGroupAssociationEntry 1}

-- The mtaGroupErrorTable gives each group a way of tallying
-- the specific errors it has encountered. The mechanism
-- defined here uses RFC 1893 status codes to identify
-- various specific errors. There are also classes for generic
-- errors of various sorts, and the entire mechanism is also
-- extensible, in that new error codes can be defined at any
-- time.

mtaGroupErrorTable OBJECT-TYPE
    SYNTAX SEQUENCE OF MtaGroupErrorEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The table holding information regarding accumulated errors
        for each MTA group."
    ::= {mta 5}

mtaGroupErrorEntry OBJECT-TYPE
    SYNTAX MtaGroupErrorEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The entry holding information regarding accumulated
        errors for each MTA group."
    INDEX {applIndex, mtaGroupIndex, mtaStatusCode}
    ::= {mtaGroupErrorTable 1}

MtaGroupErrorEntry ::= SEQUENCE {
    mtaStatusCode
        INTEGER (4000000..5999999),
    mtaGroupInboundErrorCount
        Counter32,
    mtaGroupInternalErrorCount
        Counter32,
    mtaGroupOutboundErrorCount
        Counter32
}

mtaGroupInboundErrorCount OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Count of the number of errors of a given type that have
        been accumulated in association with a particular group
        while processing incoming messages. In the case of SMTP

```

these will typically be errors reporting by an SMTP server to the remote client; in the case of X.400 these will typically be errors encountered while processing an incoming message."

```
::= {mtaGroupErrorEntry 1}
```

```
mtaGroupInternalErrorCount OBJECT-TYPE
```

```
SYNTAX Counter32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

"Count of the number of errors of a given type that have been accumulated in association with a particular group during internal MTA processing."

```
::= {mtaGroupErrorEntry 2}
```

```
mtaGroupOutboundErrorCount OBJECT-TYPE
```

```
SYNTAX Counter32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

"Count of the number of errors of a given type that have been accumulated in association with a particular group's outbound connection activities. In the case of an SMTP client these will typically be errors reported while attempting to contact or while communicating with the remote SMTP server. In the case of X.400 these will typically be errors encountered while constructing or attempting to deliver an outgoing message."

```
::= {mtaGroupErrorEntry 3}
```

```
mtaStatusCode OBJECT-TYPE
```

```
SYNTAX INTEGER (4000000..5999999)
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

"An index capable of representing an Enhanced Mail System Status Code. Enhanced Mail System Status Codes are defined in RFC 1893. These codes have the form

```
class.subject.detail
```

Here 'class' is either 2, 4, or 5 and both 'subject' and 'detail' are integers in the range 0..999. Given a status code the corresponding index value is defined to be ((class \* 1000) + subject) \* 1000 + detail. Both SMTP error response codes and X.400 reason and diagnostic codes can be mapped into these codes, resulting in a namespace

```

    capable of describing most error conditions a mail system
    encounters in a generic yet detailed way."
 ::= {mtaGroupErrorEntry 4}

-- Conformance information

mtaConformance OBJECT IDENTIFIER ::= {mta 4}

mtaGroups          OBJECT IDENTIFIER ::= {mtaConformance 1}
mtaCompliances    OBJECT IDENTIFIER ::= {mtaConformance 2}

-- Compliance statements

mtaCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "The compliance statement for RFC 1566 implementations
    which support the Mail Monitoring MIB for basic
    monitoring of MTAs."
  MODULE -- this module
    MANDATORY-GROUPS {mtaRFC1566Group}
  ::= {mtaCompliances 1}

mtaAssocCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "The compliance statement for RFC 1566 implementations
    which support the Mail Monitoring MIB for monitoring
    of MTAs and their associations."
  MODULE -- this module
    MANDATORY-GROUPS {mtaRFC1566Group, mtaRFC1566AssocGroup}
  ::= {mtaCompliances 2}

mtaRFC2249Compliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "The compliance statement for RFC 2249 implementations
    which support the Mail Monitoring MIB for basic
    monitoring of MTAs."
  MODULE -- this module
    MANDATORY-GROUPS {mtaRFC2249Group}
  ::= {mtaCompliances 5}

mtaRFC2249AssocCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "The compliance statement for RFC 2249 implementations

```

which support the Mail Monitoring MIB for monitoring of MTAs and their associations."

```
MODULE -- this module
MANDATORY-GROUPS {mtaRFC2249Group, mtaRFC2249AssocGroup}
 ::= {mtaCompliances 6}
```

mtaRFC2249ErrorCompliance MODULE-COMPLIANCE

```
STATUS current
DESCRIPTION
"The compliance statement for RFC 2249 implementations
which support the Mail Monitoring MIB for monitoring of
MTAs and detailed errors."
MODULE -- this module
MANDATORY-GROUPS {mtaRFC2249Group, mtaRFC2249ErrorGroup}
 ::= {mtaCompliances 7}
```

mtaRFC2249FullCompliance MODULE-COMPLIANCE

```
STATUS current
DESCRIPTION
"The compliance statement for RFC 2249 implementations
which support the full Mail Monitoring MIB for
monitoring of MTAs, associations, and detailed errors."
MODULE -- this module
MANDATORY-GROUPS {mtaRFC2249Group, mtaRFC2249AssocGroup,
                  mtaRFC2249ErrorGroup}
 ::= {mtaCompliances 8}
```

mtaRFC2789Compliance MODULE-COMPLIANCE

```
STATUS current
DESCRIPTION
"The compliance statement for RFC 2789 implementations
which support the Mail Monitoring MIB for basic
monitoring of MTAs."
MODULE -- this module
MANDATORY-GROUPS {mtaRFC2789Group}
 ::= {mtaCompliances 9}
```

mtaRFC2789AssocCompliance MODULE-COMPLIANCE

```
STATUS current
DESCRIPTION
"The compliance statement for RFC 2789 implementations
which support the Mail Monitoring MIB for monitoring of
MTAs and their associations."
MODULE -- this module
MANDATORY-GROUPS {mtaRFC2789Group, mtaRFC2789AssocGroup}
 ::= {mtaCompliances 10}
```

mtaRFC2789ErrorCompliance MODULE-COMPLIANCE

```

STATUS current
DESCRIPTION
  "The compliance statement for RFC 2789 implementations
  which support the Mail Monitoring MIB for monitoring of
  MTAs and detailed errors."
MODULE -- this module
  MANDATORY-GROUPS {mtaRFC2789Group, mtaRFC2789ErrorGroup}
 ::= {mtaCompliances 11}

```

```

mtaRFC2789FullCompliance MODULE-COMPLIANCE
STATUS current
DESCRIPTION
  "The compliance statement for RFC 2789 implementations
  which support the full Mail Monitoring MIB for
  monitoring of MTAs, associations, and detailed errors."
MODULE -- this module
  MANDATORY-GROUPS {mtaRFC2789Group, mtaRFC2789AssocGroup,
                    mtaRFC2789ErrorGroup}
 ::= {mtaCompliances 12}

```

-- Units of conformance

```

mtaRFC1566Group OBJECT-GROUP
OBJECTS {
  mtaReceivedMessages, mtaStoredMessages,
  mtaTransmittedMessages, mtaReceivedVolume, mtaStoredVolume,
  mtaTransmittedVolume, mtaReceivedRecipients,
  mtaStoredRecipients, mtaTransmittedRecipients,
  mtaGroupReceivedMessages, mtaGroupRejectedMessages,
  mtaGroupStoredMessages, mtaGroupTransmittedMessages,
  mtaGroupReceivedVolume, mtaGroupStoredVolume,
  mtaGroupTransmittedVolume, mtaGroupReceivedRecipients,
  mtaGroupStoredRecipients, mtaGroupTransmittedRecipients,
  mtaGroupOldestMessageStored, mtaGroupInboundAssociations,
  mtaGroupOutboundAssociations,
  mtaGroupAccumulatedInboundAssociations,
  mtaGroupAccumulatedOutboundAssociations,
  mtaGroupLastInboundActivity, mtaGroupLastOutboundActivity,
  mtaGroupRejectedInboundAssociations,
  mtaGroupFailedOutboundAssociations,
  mtaGroupInboundRejectionReason,
  mtaGroupOutboundConnectFailureReason,
  mtaGroupScheduledRetry, mtaGroupMailProtocol, mtaGroupName}
STATUS current
DESCRIPTION
  "A collection of objects providing basic monitoring of MTAs.
  This is the original set of such objects defined in RFC
  1566."

```

```
::= {mtaGroups 10}
```

```
mtaRFC1566AssocGroup OBJECT-GROUP
```

```
OBJECTS {
  mtaGroupAssociationIndex}
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A collection of objects providing monitoring of MTA
associations. This is the original set of such objects
defined in RFC 1566."
```

```
::= {mtaGroups 11}
```

```
mtaRFC2249Group OBJECT-GROUP
```

```
OBJECTS {
  mtaReceivedMessages, mtaStoredMessages,
  mtaTransmittedMessages, mtaReceivedVolume, mtaStoredVolume,
  mtaTransmittedVolume, mtaReceivedRecipients,
  mtaStoredRecipients, mtaTransmittedRecipients,
  mtaSuccessfulConvertedMessages, mtaFailedConvertedMessages,
  mtaGroupReceivedMessages, mtaGroupRejectedMessages,
  mtaGroupStoredMessages, mtaGroupTransmittedMessages,
  mtaGroupReceivedVolume, mtaGroupStoredVolume,
  mtaGroupTransmittedVolume, mtaGroupReceivedRecipients,
  mtaGroupStoredRecipients, mtaGroupTransmittedRecipients,
  mtaGroupOldestMessageStored, mtaGroupInboundAssociations,
  mtaGroupOutboundAssociations, mtaLoopsDetected,
  mtaGroupAccumulatedInboundAssociations,
  mtaGroupAccumulatedOutboundAssociations,
  mtaGroupLastInboundActivity, mtaGroupLastOutboundActivity,
  mtaGroupLastOutboundAssociationAttempt,
  mtaGroupRejectedInboundAssociations,
  mtaGroupFailedOutboundAssociations,
  mtaGroupInboundRejectionReason,
  mtaGroupOutboundConnectFailureReason,
  mtaGroupScheduledRetry, mtaGroupMailProtocol, mtaGroupName,
  mtaGroupSuccessfulConvertedMessages,
  mtaGroupFailedConvertedMessages, mtaGroupDescription,
  mtaGroupURL, mtaGroupCreationTime, mtaGroupHierarchy,
  mtaGroupOldestMessageId, mtaGroupLoopsDetected}
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A collection of objects providing basic monitoring of MTAs.
This group was originally defined in RFC 2249."
```

```
::= {mtaGroups 4}
```

```
mtaRFC2249AssocGroup OBJECT-GROUP
```

```
OBJECTS {
  mtaGroupAssociationIndex}
```

```

STATUS current
DESCRIPTION
  "A collection of objects providing monitoring of MTA
  associations.  This group was originally defined in RFC
  2249."
 ::= { mtaGroups 5}

```

```

mtaRFC2249ErrorGroup OBJECT-GROUP
OBJECTS {
  mtaGroupInboundErrorCount, mtaGroupInternalErrorCount,
  mtaGroupOutboundErrorCount}
STATUS current
DESCRIPTION
  "A collection of objects providing monitoring of
  detailed MTA errors.  This group was originally defined
  in RFC 2249."
 ::= { mtaGroups 6}

```

```

mtaRFC2789Group OBJECT-GROUP
OBJECTS {
  mtaReceivedMessages, mtaStoredMessages,
  mtaTransmittedMessages, mtaReceivedVolume, mtaStoredVolume,
  mtaTransmittedVolume, mtaReceivedRecipients,
  mtaStoredRecipients, mtaTransmittedRecipients,
  mtaSuccessfulConvertedMessages, mtaFailedConvertedMessages,
  mtaGroupReceivedMessages, mtaGroupRejectedMessages,
  mtaGroupStoredMessages, mtaGroupTransmittedMessages,
  mtaGroupReceivedVolume, mtaGroupStoredVolume,
  mtaGroupTransmittedVolume, mtaGroupReceivedRecipients,
  mtaGroupStoredRecipients, mtaGroupTransmittedRecipients,
  mtaGroupOldestMessageStored, mtaGroupInboundAssociations,
  mtaGroupOutboundAssociations, mtaLoopsDetected,
  mtaGroupAccumulatedInboundAssociations,
  mtaGroupAccumulatedOutboundAssociations,
  mtaGroupLastInboundActivity, mtaGroupLastOutboundActivity,
  mtaGroupLastOutboundAssociationAttempt,
  mtaGroupRejectedInboundAssociations,
  mtaGroupFailedOutboundAssociations,
  mtaGroupInboundRejectionReason,
  mtaGroupOutboundConnectFailureReason,
  mtaGroupScheduledRetry, mtaGroupMailProtocol, mtaGroupName,
  mtaGroupSuccessfulConvertedMessages,
  mtaGroupFailedConvertedMessages, mtaGroupDescription,
  mtaGroupURL, mtaGroupCreationTime, mtaGroupHierarchy,
  mtaGroupOldestMessageId, mtaGroupLoopsDetected}
STATUS current
DESCRIPTION
  "A collection of objects providing basic monitoring of MTAs.

```

This is the appropriate group for RFC 2789."  
 ::= {mtaGroups 7}

```
mtaRFC2789AssocGroup OBJECT-GROUP
  OBJECTS {
    mtaGroupAssociationIndex}
  STATUS current
  DESCRIPTION
    "A collection of objects providing monitoring of MTA
    associations. This is the appropriate group for RFC
    2789 association monitoring."
  ::= {mtaGroups 8}
```

```
mtaRFC2789ErrorGroup OBJECT-GROUP
  OBJECTS {
    mtaGroupInboundErrorCount, mtaGroupInternalErrorCount,
    mtaGroupOutboundErrorCount}
  STATUS current
  DESCRIPTION
    "A collection of objects providing monitoring of
    detailed MTA errors. This is the appropriate group
    for RFC 2789 error monitoring."
  ::= {mtaGroups 9}
```

END

#### 5. Changes made since RFC 2249

This revision corrects a number of minor technical errors in the construction of the mail monitoring MIB in RFC 2249 [18]:

- (1) All DisplayStrings have been changed to SnmpAdminStrings,
- (2) the conformance groups for different versions of this MIB have been corrected,
- (3) the required mtaStatusCode entry has been added to MtaGroupErrorEntry (which does not affect the bits on the wire in any way), and
- (4) the recommendation that an empty string be returned if the last operation was successful has been removed from mtaGroupInboundRejectionReason and mtaGroupOutboundConnectFailureReason as it conflicts with the stated purpose of these variables.

## 6. Acknowledgements

This document is a work product of the Mail and Directory Management (MADMAN) Working Group of the IETF. It is based on an earlier MIB designed by S. Kille, T. Lenggenhager, D. Partain, and W. Yeong. The Electronic Mail Association's TSC committee was instrumental in providing feedback on and suggesting enhancements to RFC 1566 [19] that have led to the present document.

## 7. References

- [1] Harrington, D., Presuhn, R. and B. Wijnen, "An Architecture for Describing SNMP Management Frameworks", RFC 2571, April 1999.
- [2] Rose, M. and K. McCloghrie, "Structure and Identification of Management Information for TCP/IP-based Internets", STD 16, RFC 1155, May 1990.
- [3] Rose, M. and K. McCloghrie, "Concise MIB Definitions", STD 16, RFC 1212, March 1991.
- [4] Rose, M., "A Convention for Defining Traps for use with the SNMP", RFC 1215, March 1991.
- [5] McCloghrie, K., Perkins, D. and J. Schoenwaelder, "Structure of Management Information Version 2 (SMIV2)", STD 58, RFC 2578, April 1999.
- [6] McCloghrie, K., Perkins, D. and J. Schoenwaelder, "Textual Conventions for SMIV2", STD 58, RFC 2579, April 1999.
- [7] McCloghrie, K., Perkins, D. and J. Schoenwaelder, "Conformance Statements for SMIV2", STD 58, RFC 2580, April 1999.
- [8] Case, J., Fedor, M., Schoffstall, M. and J. Davin, "Simple Network Management Protocol", STD 15, RFC 1157, May 1990.
- [9] Case, J., McCloghrie, K., Rose, M. and S. Waldbusser, "Introduction to Community-based SNMPv2", RFC 1901, January 1996.
- [10] Case, J., McCloghrie, K., Rose, M. and S. Waldbusser, "Transport Mappings for Version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1906, January 1996.
- [11] Case, J., Harrington D., Presuhn R. and B. Wijnen, "Message Processing and Dispatching for the Simple Network Management Protocol (SNMP)", RFC 2572, April 1999.

- [12] Blumenthal, U. and B. Wijnen, "User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3)", RFC 2574, April 1999.
- [13] Case, J., McCloghrie, K., Rose, M. and S. Waldbusser, "Protocol Operations for Version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1905, January 1996.
- [14] Levi, D., Meyer, P. and B. Stewart, "SNMPv3 Applications", RFC 2573, April 1999.
- [15] Wijnen, B., Presuhn, R. and K. McCloghrie, "View-based Access Control Model (VACM) for the Simple Network Management Protocol (SNMP)", RFC 2575, April 1999.
- [16] Freed, N. and S. Kille, "Network Services Monitoring MIB", RFC 2788, March 2000.
- [17] Wahl, M., Kille, S. and T. Howes, "Lightweight Directory Access Protocol (v3): UTF-8 String Representation of Distinguished Names", RFC 2253, December 1997.
- [18] Freed, N. and S. Kille, "Mail Monitoring MIB", RFC 2249, January 1998.
- [19] Freed, N. and S. Kille, "Mail Monitoring MIB", RFC 1566, January 1994.
- [20] Kille, S., "Mapping between X.400(1988) and RFC 822/MIME", RFC 2156, January 1998.
- [21] Crocker, D., "Standard for the Format of ARPA Internet Text Message", STD 11, RFC 822, August 1982.
- [22] Vaudreuil, G., "Enhanced Mail System Status Codes", RFC 1893, January 1996.

## 8. Security Considerations

There are no management objects defined in this MIB that have a MAX-ACCESS clause of read-write and/or read-create. So, if this MIB is implemented correctly, then there is no risk that an intruder can alter or create any management objects of this MIB via direct SNMP SET operations.

However, this MIB does provide passive information about the existence, type, and configuration of applications on a given host that could potentially indicate some sort of vulnerability. Finally, the information MIB provides about network usage could be used to analyze network traffic patterns.

SNMPv1 by itself is not a secure environment. Even if the network itself is secure (for example by using IPSec), even then, there is no control as to who on the secure network is allowed to access and GET/SET (read/change/create/delete) the objects in this MIB.

It is recommended that the implementers consider the security features as provided by the SNMPv3 framework. Specifically, the use of the User-based Security Model RFC 2574 [12] and the View-based Access Control Model RFC 2575 [15] is recommended.

It is then a customer/user responsibility to ensure that the SNMP entity giving access to an instance of this MIB, is properly configured to give access to the objects only to those principals (users) that have legitimate rights to indeed GET or SET (change/create/delete) them.

#### 9. Author and Chair Addresses

Ned Freed  
Innosoft International, Inc.  
1050 Lakes Drive  
West Covina, CA 91790  
USA  
  
Phone: +1 626 919 3600  
Fax: +1 626 919 3614  
EMail: ned.freed@innosoft.com

Steve Kille, MADMAN WG Chair  
MessagingDirect Ltd.  
The Dome, The Square  
Richmond TW9 1DT  
UK  
  
Phone: +44 20 8332 9091  
EMail: Steve.Kille@MessagingDirect.com

## 10. Full Copyright Statement

Copyright (C) The Internet Society (2000). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.

