

Network Working Group
Request for Comments: 1697
Category: Standards Track

D. Brower, Editor
The ASK Group, INGRES DBMS Development
B. Purvy, RDBMSMIB Working Group Chair
Oracle Corporation
A. Daniel
Informix Software, Inc.
M. Sinykin
J. Smith
Oracle Corporation
August 1994

Relational Database Management System (RDBMS)
Management Information Base (MIB) using SMIv2

Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Table of Contents

| | |
|--|----|
| 1. Introduction | 1 |
| 2. The SNMPv2 Network Management Framework | 2 |
| 2.1 Object Definitions | 2 |
| 3. Overview | 2 |
| 3.1 Terminology | 3 |
| 3.2 Structure and Features | 4 |
| 3.2.1 Tables | 4 |
| 3.2.2 Writable objects | 5 |
| 3.2.3 Traps | 5 |
| 4. Definitions | 6 |
| 5. Acknowledgements | 35 |
| 6. References | 36 |
| 7. Security Considerations | 37 |
| 8. Authors' Addresses | 37 |

1. Introduction

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. In particular, it describes managed objects used for managing relational database (RDBMS) implementations.

2. The SNMPv2 Network Management Framework

The SNMPv2 Network Management Framework consists of four major components. They are:

- o RFC 1442 [1] which defines the SMI, the mechanisms used for describing and naming objects for the purpose of management.
- o STD 17, RFC 1213 [2] defines MIB-II, the core set of managed objects for the Internet suite of protocols.
- o RFC 1445 [3] which defines the administrative and other architectural aspects of the framework.
- o RFC 1448 [4] which defines the protocol used for network access to managed objects.
- o RFC 1443 [5] which describes textual conventions for the framework.

The framework permits new objects to be defined for the purpose of experimentation and evaluation. In particular, the RDBMS-MIB can be seen as an extension of

- o RFC 1565 [6] which defines the MIB for monitoring network service applications.

2.1. Object Definitions

Managed objects are accessed via a virtual information store, termed the Management Information Base or MIB. Objects in the MIB are defined using the subset of Abstract Syntax Notation One (ASN.1) defined in the SMI. In particular, each object type is named by an OBJECT IDENTIFIER, an administratively assigned name. The object type together with an object instance serves to uniquely identify a specific instantiation of the object. For human convenience, we often use a textual string, termed the descriptor, to refer to the object type.

3. Overview

The RDBMS-MIB contains objects that may be used to manage relational database implementations. Specifically, it contains information on installed databases, servers, and on the relation of databases and servers. The terms used in this database are described below.

3.1. Terminology

Vendors and Products

are providers of database systems on a host. These vendors may have more than one database product that is manageable through this MIB. On a host, there may be systems from multiple vendors, multiple systems from a single vendor, or any other combination. There may be a private MIB for each vendor, and this may be located using the PrivateMibOID objects in some of the tables.

Databases

are collections of interrelated data organized according to a schema to serve one or more applications. A database is, for purposes of this MIB, a collection of tables whose organization is based on the relational model. There may be one or more databases available in each system on the host from each product. In the MIB, data about databases is captured in the rdbmsDbTable and the rdbmsDbInfoTable, each with one row per database.

Relational Database Management System (RDBMS)

A collection of integrated services which support database management and together support and control the creation, use and maintenance of relational databases. Servers as defined in this MIB provide the functions of the RDBMS.

Servers

are entities that provide access to databases. For this MIB, servers are defined to be entities that may exist independently of other servers. A server may or may not be a single process, based on its independence from other processes. In this MIB, information about servers is captured in the rdbmsSvrTable, the rdbmsSvrInfoTable, each with one row per server extending the applTable from the APPLICATION-MIB of RFC 1565. The rdbmsSvrTable and rdbmsSvrInfoTable are both indexed by the applIndex of that MIB.

Associations

Inbound associations are local or remote conversations, usually instances of the SQL CONNECT statement, as made visible in servers. The MIB does not currently reveal individual associations; there are association counters in the dbmsSvrInfoTable and the applTable.

There are also relationships between servers and databases. All obvious relationships are possible and supported:

- o 1 database : 1 server
- o 1 database : many servers
- o many databases : 1 server
- o many databases : many servers

3.2. Structure and Features

The information in this MIB module is organized into nine tables, twelve potentially writable objects, and two traps, as follows.

3.2.1. Tables

- o databases installed on a host/system (rdbmsDbTable)
- o actively opened databases (rdbmsDbInfoTable)
- o database configuration parameters (rdbmsDbParamTable)
- o database limited resources (rdbmsDbLimitedResourceTable)
- o database servers installed on a system (rdbmsSrvTable)
- o active database servers (rdbmsSrvInfoTable)
- o configuration parameters for a server (rdbmsSrvParamTable)
- o server limited resources (rdbmsSrvLimitedResourceTable)
- o relation of servers and databases on a host (rdbmsRelTable)

These entities have broad applicability among database systems, and are enough for many monitoring tasks. They are far from adequate for detailed management or performance monitoring of specific database products. This gap is expected to be filled with vendor and product specific MIBs addressing the entities that have not been codified here.

3.2.2. Writable objects

The MIB requires no writable objects for conformance. There is no expectation that RDBMS systems may be actively managed through this MIB. However, the RDBMS-MIB supports the capability to modify the following objects if the implementor so chooses.

- o rdbmsDbContact
- o rdbmsDbInfoSizeAllocated
- o rdbmsDbParamCurrValue
- o rdbmsDbParamComment rdbmsDbLimitedResourceLimit
- o rdbmsDbLimitedResourceDescription
- o rdbmsSrvContact
- o rdbmsSrvInfoMaxInboundAssociations
- o rdbmsSrvParamCurrValue
- o rdbmsSrvParamComment
- o rdbmsSrvLimitedResourceLimit
- o rdbmsSrvLimitedResourceDescription

3.2.3. Traps

The RDBMS-MIB contains two traps:

- o rdbmsStateChange
- o rdbmsOutOfSpace

4. Definitions

```
RDBMS-MIB DEFINITIONS ::= BEGIN

IMPORTS
  MODULE-IDENTITY, OBJECT-TYPE, NOTIFICATION-TYPE,
  Counter32, Gauge32, Integer32
    FROM SNMPv2-SMI
  DisplayString, DateAndTime, AutonomousType
    FROM SNMPv2-TC
  applIndex, applGroup
    FROM APPLICATION-MIB
mib-2
  FROM RFC1213-MIB;

rdbmsMIB MODULE-IDENTITY
LAST-UPDATED "9406150655Z"
ORGANIZATION "IETF RDBMSMIB Working Group"
CONTACT-INFO
  "
    David Brower

  Postal: The ASK Group, INGRES DBMS Development
          1080 Marina Village Parkway
          Alameda, CA 94501
          US

  Tel: +1 510 748 3418
  Fax: +1 510 748 2770

  E-mail: daveb@ingres.com"

DESCRIPTION
"The MIB module to describe objects for generic relational
databases."

::= { mib-2 39 }

rdbmsObjects      OBJECT IDENTIFIER ::= { rdbmsMIB 1 }

-----
rdbmsDbTable      OBJECT-TYPE
  SYNTAX      SEQUENCE OF RdbmsDbEntry
  MAX-ACCESS  not-accessible
  STATUS      current
DESCRIPTION
  "The table of databases installed on a system."
::= { rdbmsObjects 1 }
```

```

rdbmsDbEntry      OBJECT-TYPE
SYNTAX            RdbmsDbEntry
MAX-ACCESS        not-accessible
STATUS            current
DESCRIPTION
  "An entry for a single database on the host. Whether a
  particular database is represented by a row in rdbmsDbTable
  may be dependent on the activity level of that database,
  according to the product's implementation. An instance of
  rdbmsRelState having the value active, other, or restricted
  implies that an entry, corresponding to that instance, will
  be present."
INDEX  { rdbmsDbIndex }
 ::= { rdbmsDbTable 1 }

RdbmsDbEntry      ::=
SEQUENCE {
  rdbmsDbIndex          INTEGER,
  rdbmsDbPrivateMibOID  OBJECT IDENTIFIER,
  rdbmsDbVendorName     DisplayString,
  rdbmsDbName           DisplayString,
  rdbmsDbContact         DisplayString
}

rdbmsDbIndex      OBJECT-TYPE
SYNTAX            INTEGER (1..2147483647)
MAX-ACCESS        not-accessible
STATUS            current
DESCRIPTION
  "A numeric index, unique among all the databases from all
  products on this host. This value is a surrogate for the
  conceptually unique key, which is {PrivateMibOID,
  databaseName}"
 ::= { rdbmsDbEntry 1 }

rdbmsDbPrivateMibOID   OBJECT-TYPE
SYNTAX              OBJECT IDENTIFIER
MAX-ACCESS          read-only
STATUS              current
DESCRIPTION
  "The authoritative identification for the private MIB for
  this database, presumably based on the vendor, e.g., {
  enterprises 111 <optional subidentifiers>} for Oracle
  databases, {enterprises 757 <optional subidentifiers>} for
  Ingres databases, { enterprises 897 <optional
  subidentifiers>} for Sybase databases, etc.

  If no OBJECT IDENTIFIER exists for the private MIB, attempts

```

```
        to access this object will return noSuchName (SNMPv1)
        or noSuchInstance (SNMPv2)."
::= { rdbmsDbEntry 2 }

rdbmsDbVendorName      OBJECT-TYPE
SYNTAX          DisplayString
MAX-ACCESS       read-only
STATUS          current
DESCRIPTION
    "The name of the vendor whose RDBMS manages this database,
     for informational purposes."
::= { rdbmsDbEntry 3 }

rdbmsDbName          OBJECT-TYPE
SYNTAX          DisplayString
MAX-ACCESS       read-only
STATUS          current
DESCRIPTION
    "The name of this database, in a product specific format. The
     product may need to qualify the name in some way to resolve
     conflicts if it is possible for a database name to be
     duplicated on a host. It might be necessary to construct a
     hierarchical name embedding the RDBMS instance/installation
     on the host, and/or the owner of the database. For instance,
     '/test-installation/database-owner/database-name'."
::= { rdbmsDbEntry 4 }

rdbmsDbContact        OBJECT-TYPE
SYNTAX          DisplayString
MAX-ACCESS       read-write
STATUS          current
DESCRIPTION
    "The textual identification of the contact person for this
     managed database, together with information on how to contact
     this person.

Note: if there is no server associated with this database, an
agent may need to keep this in other persistent storage,
e.g., a configuration file.

Note that a compliant agent does not need to
allow write access to this object."
::= { rdbmsDbEntry 5 }
```

```
-----
rdbmsDbInfoTable      OBJECT-TYPE
  SYNTAX            SEQUENCE OF RdbmsDbInfoEntry
  MAX-ACCESS        not-accessible
  STATUS            current
  DESCRIPTION
    "The table of additional information about databases present
     on the host."
 ::= { rdbmsObjects 2 }

rdbmsDbInfoEntry      OBJECT-TYPE
  SYNTAX            RdbmsDbInfoEntry
  MAX-ACCESS        not-accessible
  STATUS            current
  DESCRIPTION
    "Information that must be present if the database is actively
     opened. If the database is not actively opened, then
     attempts to access corresponding instances in this table may
     result in either noSuchName (SNMPv1) or noSuchInstance
     (SNMPv2). 'Actively opened' means at least one of the
     rdbmsRelState entries for this database in the rdbmsRelTable
     is active(2)."
  INDEX             { rdbmsDbIndex }
 ::= { rdbmsDbInfoTable 1 }

RdbmsDbInfoEntry ::=
SEQUENCE {
  rdbmsDbInfoProductName      DisplayString,
  rdbmsDbInfoVersion          DisplayString,
  rdbmsDbInfoSizeUnits         INTEGER,
  rdbmsDbInfoSizeAllocated     INTEGER,
  rdbmsDbInfoSizeUsed          INTEGER,
  rdbmsDbInfoLastBackup        DateAndTime
}

rdbmsDbInfoProductName  OBJECT-TYPE
  SYNTAX            DisplayString
  MAX-ACCESS        read-only
  STATUS            current
  DESCRIPTION
    "The textual product name of the server that created or last
     restructured this database. The format is product specific."
 ::= { rdbmsDbInfoEntry 1 }

rdbmsDbInfoVersion     OBJECT-TYPE
  SYNTAX            DisplayString
  MAX-ACCESS        read-only
```

```

STATUS          current
DESCRIPTION
  "The version number of the server that created or last
   restructured this database. The format is product specific."
 ::= { rdbmsDbInfoEntry 2 }

rdbmsDbInfoSizeUnits      OBJECT-TYPE
SYNTAX
  INTEGER {
    bytes(1),
    kbytes(2),
    mbytes(3),
    gbytes(4),
    tbytes(5)
  }
MAX-ACCESS      read-only
STATUS          current
DESCRIPTION
  "Identification of the units used to measure the size of this
   database in rdbmsDbInfoSizeAllocated and rdbmsDbInfoSizeUsed.
   bytes(1) indicates individual bytes, kbytes(2) indicates
   units of kilobytes, mbytes(3) indicates units of megabytes,
   gbytes(4) indicates units of gigabytes, and tbytes(5)
   indicates units of terabytes. All are binary multiples -- 1K
   = 1024. If writable, changes here are reflected in the get
   values of the associated objects."
 ::= { rdbmsDbInfoEntry 3 }

rdbmsDbInfoSizeAllocated   OBJECT-TYPE
SYNTAX
  INTEGER (1..2147483647)
MAX-ACCESS      read-write
STATUS          current
DESCRIPTION
  "The estimated size of this database (in
   rdbmsDbInfoSizeUnits), which is the disk space that has been
   allocated to it and is no longer available to users on this
   host. rdbmsDbInfoSize does not necessarily indicate the
   amount of space actually in use for database data. Some
   databases may support extending allocated size, and others
   may not.

Note that a compliant agent does not need to
allow write access to this object.

-- Note: computing SizeAllocated may be expensive, and SNMP
-- agents might cache the value to increase performance.

 ::= { rdbmsDbInfoEntry 4 }

```

```

rdbmsDbInfoSizeUsed      OBJECT-TYPE
SYNTAX                  INTEGER (1..2147483647)
MAX-ACCESS              read-only
STATUS                  current
DESCRIPTION
"The estimated size of this database, in rdbmsDbInfoSizeUnits,
which is actually in use for database data."

-- Note: computing SizeUsed may be expensive, and SNMP
-- agents might cache the value to increase performance.
 ::= { rdbmsDbInfoEntry 5 }

rdbmsDbInfoLastBackup    OBJECT-TYPE
SYNTAX                  DateAndTime
MAX-ACCESS              read-only
STATUS                  current
DESCRIPTION
"The date and time that the latest complete or partial backup
of the database was taken. If a database has never been
backed up, then attempts to access this object will
result in either noSuchName (SNMPv1) or noSuchInstance
(SNMPv2)."
 ::= { rdbmsDbInfoEntry 6 }

-----
rdbmsDbParamTable        OBJECT-TYPE
SYNTAX                  SEQUENCE OF RdbmsDbParamEntry
MAX-ACCESS              not-accessible
STATUS                  current
DESCRIPTION
"The table of configuration parameters for a database.
Entries should be populated according to the following
guidelines:
(1) The value should be specified through administrative
(human) intervention.
(2) It should be configured on a per-database basis.
(3) One of the following is true:
(a) The parameter has a non-numeric value;
(b) The current value is numeric, but it only changes due
to human intervention;
(c) The current value is numeric and dynamic, but the
RDBMS does not track access/allocation failures
related to the parameter;
(d) The current value is numeric and dynamic, the
RDBMS tracks changes in access/allocation failures
related to the parameter, but the failure has no
significant impact on RDBMS performance or

```

```

availability.
(e) The current value is numeric and dynamic, the
    RDBMS tracks changes in access/allocation failures
    related to the parameter, the failure has
    significant impact on RDBMS performance or
    availability, and is shown in the
    rdbmsDbLimitedResource table."
 ::= { rdbmsObjects 3 }

rdbmsDbParamEntry      OBJECT-TYPE
SYNTAX                  RdbmsDbParamEntry
MAX-ACCESS              not-accessible
STATUS                  current
DESCRIPTION
"An entry for a single configuration parameter for a database.
Parameters with single values have a subindex value of one.
If the parameter is naturally considered to contain a
variable number of members of a class, e.g. members of the
DBA user group, or files which are part of the database, then
it must be presented as a set of rows. If, on the other
hand, the parameter represents a set of choices from a class,
e.g. the permissions on a file or the options chosen out of
the set of all options allowed, AND is guaranteed to always
fit in the 255 character length of a DisplayString, then it
may be presented as a comma separated list with a subindex
value of one. Zero may not be used as a subindex value.

If the database is not actively opened, then attempts
to access corresponding instances in this table may result in
either noSuchName (SNMPv1) or noSuchInstance (SNMPv2).
'Actively opened' means at least one of the
rdbmsRelState entries for this database in the rdbmsRelTable
is active(2)."
INDEX  { rdbmsDbIndex, rdbmsDbParamName, rdbmsDbParamSubIndex }
 ::= { rdbmsDbParamTable 1 }

RdbmsDbParamEntry ::=
SEQUENCE {
    rdbmsDbParamName          DisplayString,
    rdbmsDbParamSubIndex      INTEGER,
    rdbmsDbParamID            AutonomousType,
    rdbmsDbParamCurrValue     DisplayString,
    rdbmsDbParamComment       DisplayString
}

rdbmsDbParamName      OBJECT-TYPE
SYNTAX                  DisplayString (SIZE (1..64))
MAX-ACCESS              not-accessible

```

```

STATUS           current
DESCRIPTION
"The name of a configuration parameter for a database. This
name is product-specific. The length is limited to 64
characters to constrain the number of sub-identifiers needed
for instance identification (and to minimize network
traffic)."

 ::= { rdbmsDbParamEntry 1 }

rdbmsDbParamSubIndex   OBJECT-TYPE
SYNTAX                INTEGER (1..2147483647)
MAX-ACCESS             not-accessible
STATUS                current
DESCRIPTION
"The subindex value for this parameter. If the parameter is
naturally considered to contain a variable number of members
of a class, e.g. members of the DBA user group, or files
which are part of the database, then it must be presented as
a set of rows. If, on the other hand, the parameter
represents a set of choices from a class, e.g. the
permissions on a file or the options chosen out of the set of
all options allowed, AND is guaranteed to always fit in the
255 character length of a DisplayString, then it may be
presented as a comma separated list with a subindex value of
one. Zero may not be used as a value."
 ::= { rdbmsDbParamEntry 2 }

rdbmsDbParamID        OBJECT-TYPE
SYNTAX                AutonomousType
MAX-ACCESS             read-only
STATUS                current
DESCRIPTION
"The ID of the parameter which may be described in some other
MIB (e.g., an enterprise-specific MIB module). If there is
no ID for this rdbmsDbParamName, attempts to access this
object will return noSuchName (SNMPv1) or noSuchInstance
(SNMPv2)."
 ::= { rdbmsDbParamEntry 3 }

rdbmsDbParamCurrValue OBJECT-TYPE
SYNTAX                DisplayString
MAX-ACCESS             read-write
STATUS                current
DESCRIPTION
"The value for a configuration parameter now in effect, the
actual setting for the database. While there may multiple
values in the temporal domain of interest (for instance, the

```

value to take effect at the next restart), this is the current setting.

Note that a compliant agent does not need to allow write access to this object."

```
::= { rdbmsDbParamEntry 4 }
```

rdbmsDbParamComment OBJECT-TYPE
 SYNTAX DisplayString
 MAX-ACCESS read-write
 STATUS current
DESCRIPTION
 "Annotation which describes the purpose of a configuration parameter or the reason for a particular parameter's setting.

Note that a compliant agent does not need to allow write access to this object."

```
::= { rdbmsDbParamEntry 5 }
```

rdbmsDbLimitedResourceTable OBJECT-TYPE
 SYNTAX SEQUENCE OF RdbmsDbLimitedResourceEntry
 MAX-ACCESS not-accessible
 STATUS current
DESCRIPTION
 "The table of limited resources that are kept per-database."

```
::= { rdbmsObjects 4 }
```

rdbmsDbLimitedResourceEntry OBJECT-TYPE
 SYNTAX RdbmsDbLimitedResourceEntry
 MAX-ACCESS not-accessible
 STATUS current
DESCRIPTION
 "An entry for a single limited resource kept per-database.
 A limited resource has maximum use determined by a parameter that might or might not be changeable at run time, or visible in the rdbmsDbParamTable. Examples would be the number of available locks, or disk space on a partition. Arrays of resources are supported through an integer sub index, which should have the value of one for single-instance names.

Limited resources that are shared across databases, are best put in the rdbmsSvrLimitedResourceTable instead of this one.

If the database is not actively opened, then attempts to access corresponding instances in this table may result in either noSuchName (SNMPv1) or noSuchInstance (SNMPv2).
 'Actively opened' means at least one of the rdbmsRelState entries for this database in the rdbmsRelTable is active(2)."

```
INDEX { rdbmsDbIndex, rdbmsDbLimitedResourceName }
::= { rdbmsDbLimitedResourceTable 1 }
```

```
RdbmsDbLimitedResourceEntry ::=

SEQUENCE {
  rdbmsDbLimitedResourceName          DisplayString,
  rdbmsDbLimitedResourceID           AutonomousType,
  rdbmsDbLimitedResourceLimit        INTEGER,
  rdbmsDbLimitedResourceCurrent      INTEGER,
  rdbmsDbLimitedResourceHighwater   INTEGER,
  rdbmsDbLimitedResourceFailures    Counter32,
  rdbmsDbLimitedResourceDescription DisplayString
}
```

```
rdbmsDbLimitedResourceName      OBJECT-TYPE
SYNTAX          DisplayString
MAX-ACCESS      not-accessible
STATUS          current
DESCRIPTION
  "The name of the resource, for instance 'global locks' or
  'locks for the FOO database', or 'data space on /dev/rdsk/5s0
  for FOO'. The length is limited to 64 characters to constrain
  the number of sub-identifiers needed for instance
  identification (and to minimize network traffic)."
::= { rdbmsDbLimitedResourceEntry 1 }
```

```
rdbmsDbLimitedResourceID OBJECT-TYPE
SYNTAX          AutonomousType
MAX-ACCESS      read-only
STATUS          current
DESCRIPTION
  "The ID of the resource which may be described in some other
  MIB (e.g., an enterprise-specific MIB module). If there is
  no ID for this rdbmsDbLimitedResourceName, attempts to access
  this object will return noSuchName (SNMPv1) or noSuchInstance
  (SNMPv2)."
::= { rdbmsDbLimitedResourceEntry 2 }
```

```
rdbmsDbLimitedResourceLimit      OBJECT-TYPE
SYNTAX          INTEGER (1..2147483647)
MAX-ACCESS      read-write
STATUS          current
```

DESCRIPTION

"The maximum value the resource use may attain.

Note that a compliant agent does not need to allow write access to this object."

::= { rdbmsDbLimitedResourceEntry 3 }

rdbmsDbLimitedResourceCurrent OBJECT-TYPE

SYNTAX INTEGER (1..2147483647)
 MAX-ACCESS read-only
 STATUS current

DESCRIPTION

"The current value for the resource."

::= { rdbmsDbLimitedResourceEntry 4 }

rdbmsDbLimitedResourceHighwater OBJECT-TYPE

SYNTAX INTEGER (1..2147483647)
 MAX-ACCESS read-only
 STATUS current

DESCRIPTION

"The maximum value of the resource seen since applUpTime was reset for the earliest server which has the database actively opened.

If there are two servers with the database open, and the oldest one dies, the proper way to invalidate the value is by resetting sysUpTime."

::= { rdbmsDbLimitedResourceEntry 5 }

rdbmsDbLimitedResourceFailures OBJECT-TYPE

SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current

DESCRIPTION

"The number of times the system wanted to exceed the limit of the resource since applUpTime was reset for the earliest server which has the database actively opened.

If there are two servers with the DB open, and the oldest one dies, the proper way to invalidate the value is by resetting sysUpTime."

::= { rdbmsDbLimitedResourceEntry 6 }

rdbmsDbLimitedResourceDescription OBJECT-TYPE

SYNTAX DisplayString
 MAX-ACCESS read-write
 STATUS current

DESCRIPTION

"A description of the resource and the meaning of the integer units used for Limit, Current, and Highwater.

Note that a compliant agent does not need to allow write access to this object."

```
::= { rdbmsDbLimitedResourceEntry 7 }
```

```
rdbmsSrvTable      OBJECT-TYPE
  SYNTAX          SEQUENCE OF RdbmsSrvEntry
  MAX-ACCESS     not-accessible
  STATUS         current
  DESCRIPTION
    "The table of database servers running or installed
     on a system."
 ::= { rdbmsObjects 5 }
```

```
rdbmsSrvEntry      OBJECT-TYPE
  SYNTAX          RdbmsSrvEntry
  MAX-ACCESS     not-accessible
  STATUS         current
  DESCRIPTION
    "An entry for a single database server. A server is an
     independent entity that provides access to one or more
     databases. Failure of one does not affect access to
     databases through any other servers. There might be one or
     more servers providing access to a database. A server may be
     a 'process' or collection of 'processes', as interpreted by
     the product."
  INDEX { applIndex }
 ::= { rdbmsSrvTable 1 }
```

```
RdbmsSrvEntry ::=
  SEQUENCE {
    rdbmsSrvPrivateMibOID   OBJECT IDENTIFIER,
    rdbmsSrvVendorName   DisplayString,
    rdbmsSrvProductName   DisplayString,
    rdbmsSrvContact       DisplayString
  }
```

```
rdbmsSrvPrivateMibOID  OBJECT-TYPE
  SYNTAX          OBJECT IDENTIFIER
  MAX-ACCESS     read-only
  STATUS         current
  DESCRIPTION
```

"The authoritative identification for the private MIB for this server, presumably based on the vendor, e.g., { enterprises 111 <optional subidentifiers>} for Oracle servers, { enterprises 757 <optional subidentifiers>} for Ingres servers, { enterprises 897 <optional subidentifiers>} for Sybase servers, etc.

If no OBJECT IDENTIFIER exists for the private MIB, attempts to access this object will return noSuchName (SNMPv1) or noSuchInstance (SNMPv2)."
`::= { rdbmsSrvEntry 1 }`

`rdbmsSrvVendorName` OBJECT-TYPE
 SYNTAX DisplayString
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The name of the vendor whose RDBMS manages this database, for informational purposes."
`::= { rdbmsSrvEntry 2 }`

`rdbmsSrvProductName` OBJECT-TYPE
 SYNTAX DisplayString
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The product name of this server. This is normally the vendor's formal name for the product, in product specific format."
`::= { rdbmsSrvEntry 3 }`

`rdbmsSrvContact` OBJECT-TYPE
 SYNTAX DisplayString
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION
 "The textual identification of the contact person for this managed server, together with information on how to contact this person.

Note: if there is no active server associated with this object, an agent may need to keep this in other persistent storage, e.g., a configuration file.

Note that a compliant agent does not need to allow write access to this object."

`::= { rdbmsSrvEntry 4 }`

rdbmsSrvInfoTable OBJECT-TYPE
SYNTAX SEQUENCE OF RdbmsSrvInfoEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The table of additional information about database servers.

Entries in this table correspond to applications in the APPLICATION-MIB applTable. Some objects in that table are application-specific. When they are associated with an RDBMS server in this table, the objects have the following meanings.

applName - The name of this server, i.e., the process or group of processes providing access to this database. The exact format will be product and host specific.

applVersion - The version number of this server, in product specific format.

applOperStatus - up(1) means operational and available for general use. down(2) means the server is not available for use, but is known to the agent. The other states have broad meaning, and may need to be supplemented by the vendor private MIB. Halted(3) implies an administrative state of unavailability. Congested(4) implies a resource or administrative limit is prohibiting new inbound associations. The 'available soon' description of restarting(5) may include an indeterminate amount of recovery.

applLastChange is the time the agent noticed the most recent change to applOperStatus.

applInboundAssociation is the number of currently active local and remote conversations (usually SQL connects).

applOutboundAssociations is not provided by this MIB.

applAccumulatedInboundAssociations is the total number of local and remote conversations started since the server came up.

applAccumulatedOutbound associations is not provided by this MIB.

applLastInboundActivity is the time the most recent local or

remote conversation was attempted or disconnected.

applLastOutboundActivity is not provided by this MIB.

applRejectedInboundAssociations is the number of local or remote conversations rejected by the server for administrative reasons or because of resource limitations.

applFailedOutboundAssociations is not provided by this MIB."

::= { rdbmsObjects 6 }

rdbmsSrvInfoEntry OBJECT-TYPE
 SYNTAX RdbmsSrvInfoEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION "Information that must be present for a single 'up' database server, with visibility determined by the value of the corresponding applOperStatus object. If an instance of applOperStatus is not up(1), then attempts to access corresponding instances in this table may result in either noSuchName (SNMPv1) or noSuchInstance (SNMPv2) being returned by the agent."
 INDEX { applIndex }
::= { rdbmsSrvInfoTable 1 }

RdbmsSrvInfoEntry ::=

SEQUENCE {
 rdbmsSrvInfoStartTime DateAndTime,
 rdbmsSrvInfoFinishedTransactions Gauge32,
 rdbmsSrvInfoDiskReads Counter32,
 rdbmsSrvInfoDiskWrites Counter32,
 rdbmsSrvInfoLogicalReads Counter32,
 rdbmsSrvInfoLogicalWrites Counter32,
 rdbmsSrvInfoPageWrites Counter32,
 rdbmsSrvInfoPageReads Counter32,
 rdbmsSrvInfoDiskOutOfSpaces Counter32,
 rdbmsSrvInfoHandledRequests Counter32,
 rdbmsSrvInfoRequestRecvs Counter32,
 rdbmsSrvInfoRequestSends Counter32,
 rdbmsSrvInfoHighwaterInboundAssociations Gauge32,
 rdbmsSrvInfoMaxInboundAssociations Gauge32
}

rdbmsSrvInfoStartTime OBJECT-TYPE
 SYNTAX DateAndTime
 MAX-ACCESS read-only

```

STATUS           current
DESCRIPTION
  "The date and time at which this server was last started."
 ::= { rdbmsSrvInfoEntry 1 }

rdbmsSrvInfoFinishedTransactions  OBJECT-TYPE
SYNTAX            Gauge32
MAX-ACCESS        read-only
STATUS            current
DESCRIPTION
  "The number of transactions visible to this server that have
  been completed by either commit or abort. Some database
  operations, such as read-only queries, may not result in the
  creation of a transaction."
 ::= { rdbmsSrvInfoEntry 2 }

rdbmsSrvInfoDiskReads      OBJECT-TYPE
SYNTAX            Counter32
MAX-ACCESS        read-only
STATUS            current
DESCRIPTION
  "The total number of reads of database files issued to the
  operating system by this server since startup. Numbers are
  not comparable between products. What constitutes a
  readand how it is accounted is product-specific."
 ::= { rdbmsSrvInfoEntry 3 }

rdbmsSrvInfoLogicalReads    OBJECT-TYPE
SYNTAX            Counter32
MAX-ACCESS        read-only
STATUS            current
DESCRIPTION
  "The total number of logical reads of database files made
  internally by this server since startup. The values of this
  object and those of rdbmsSrvInfoDiskReads reveal the effect
  of caching on read operation. Numbers are not comparable
  between products, and may only be meaningful when aggregated
  across all servers sharing a common cache."
 ::= { rdbmsSrvInfoEntry 4 }

rdbmsSrvInfoDiskWrites     OBJECT-TYPE
SYNTAX            Counter32
MAX-ACCESS        read-only
STATUS            current
DESCRIPTION
  "The total number of writes to database files issued to the
  operating system by this server since startup. Numbers are
  not comparable between products."

```

```

 ::= { rdbmsSrvInfoEntry 5 }

rdbmsSrvInfoLogicalWrites OBJECT-TYPE
  SYNTAX          Counter32
  MAX-ACCESS      read-only
  STATUS          current
  DESCRIPTION
    "The total number of times parts of the database files have
     been marked 'dirty' and in need of writing to the disk. This
     value and rdbmsSrvInfoDiskWrites give some indication of the
     effect of 'write-behind' strategies in reducing the number of
     disk writes compared to database operations. Because the
     writes may be done by servers other than those marking the
     parts of the database files dirty, these values may only be
     meaningful when aggregated across all servers sharing a
     common cache. Numbers are not comparable between products."
 ::= { rdbmsSrvInfoEntry 6 }

rdbmsSrvInfoPageReads OBJECT-TYPE
  SYNTAX          Counter32
  MAX-ACCESS      read-only
  STATUS          current
  DESCRIPTION
    "The total number of pages in database files read by this
     server since startup. 'Pages' are product specific units of
     disk i/o operations. This value, along with
     rdbmsSrvInfoDiskReads, reveals the effect of any grouping
     read-ahead that may be used to enhance performance of some
     queries, such as scans."
 ::= { rdbmsSrvInfoEntry 7 }

rdbmsSrvInfoPageWrites OBJECT-TYPE
  SYNTAX          Counter32
  MAX-ACCESS      read-only
  STATUS          current
  DESCRIPTION
    "The total number of pages in database files written by this
     server since startup. Pages are product-specific units of
     disk I/O. This value, with rdbmsSrvInfoDiskWrites, shows the
     effect of write strategies that collapse logical writes of
     contiguous pages into single calls to the operating system."
 ::= { rdbmsSrvInfoEntry 8 }

rdbmsSrvInfoDiskOutOfSpaces OBJECT-TYPE
  SYNTAX          Counter32
  MAX-ACCESS      read-only
  STATUS          current
  DESCRIPTION

```

"The total number of times the server has been unable to obtain disk space that it wanted, since server startup. This would be inspected by an agent on receipt of an rdbmsOutOfSpace trap."

::= { rdbmsSrvInfoEntry 9 }

rdbmsSrvInfoHandledRequests OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The total number of requests made to the server on inbound associations. The meaning of 'requests' is product specific, and is not comparable between products.

This is intended to encapsulate high level semantic operations between clients and servers, or between peers. For instance, one request might correspond to a 'select' or an 'insert' statement. It is not intended to capture disk i/o described in rdbmsSrvInfoDiskReads and rdbmsSrvInfoDiskWrites."

::= { rdbmsSrvInfoEntry 10 }

rdbmsSrvInfoRequestRecvs OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of receive operations made processing any requests on inbound associations. The meaning of operations is product specific, and is not comparable between products.

This is intended to capture lower-level i/o operations than shown by HandledRequests, between clients and servers, or between peers. For instance, it might roughly correspond to the amount of data given with an 'insert' statement. It is not intended to capture disk i/o described in rdbmsSrvInfoDiskReads and rdbmsSrvInfoDiskWrites."

::= { rdbmsSrvInfoEntry 11 }

rdbmsSrvInfoRequestSends OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of send operations made processing requests handled on inbound associations. The meaning of operations is product specific, and is not comparable between products.

This is intended to capture lower-level i/o operations than shown by HandledRequests, between clients and servers, or between peers. It might roughly correspond to the number of rows returned by a 'select' statement. It is not intended to capture disk i/o described in DiskReads."

```
::= { rdbmsSrvInfoEntry 12 }
```

rdbmsSrvInfoHighwaterInboundAssociations OBJECT-TYPE
 SYNTAX Gauge32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The greatest number of inbound associations that have been simultaneously open to this server since startup."

```
::= { rdbmsSrvInfoEntry 13 }
```

rdbmsSrvInfoMaxInboundAssociations OBJECT-TYPE
 SYNTAX Gauge32
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION
 "The greatest number of inbound associations that can be simultaneously open with this server. If there is no limit, then the value should be zero.
 Note that a compliant agent does not need to allow write access to this object."

```
::= { rdbmsSrvInfoEntry 14 }
```

rdbmsSrvParamTable OBJECT-TYPE
 SYNTAX SEQUENCE OF RdbmsSrvParamEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "The table of configuration parameters for a server. Entries should be populated according to the following guidelines:
 (1) The value should be specified through administrative (human) intervention.
 (2) It should be configured on a per-server or a more global basis, with duplicate entries for each server sharing use of the parameter.
 (3) One of the following is true:
 (a) The parameter has a non-numeric value;
 (b) The current value is numeric, but it only changes due to human intervention;

- (c) The current value is numeric and dynamic, but the RDBMS does not track access/allocation failures related to the parameter;
- (d) The current value is numeric and dynamic, the RDBMS tracks changes in access/allocation failures related to the parameter, but the failure has no significant impact on RDBMS performance or availability.
- (e) The current value is numeric and dynamic, the RDBMS tracks changes in access/allocation failures related to the parameter, the failure has significant impact on RDBMS performance or availability, and is shown in the rdbmsSrvLimitedResource table."

::= { rdbmsObjects 7 }

rdbmsSrvParamEntry OBJECT-TYPE
SYNTAX RdbmsSrvParamEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "An entry for a single configuration parameter for a server. Parameters with single values have a subindex value of one. If the parameter is naturally considered to contain a variable number of members of a class, e.g. members of the DBA user group, or tracepoints active in the server, then it must be presented as a set of rows. If, on the other hand, the parameter represents a set of choices from a class, e.g. the permissions on a file or the options chosen out of the set of all options allowed, AND is guaranteed to always fit in the 255 character length of a DisplayString, then it may be presented as a comma separated list with a subindex value of one. Zero may not be used as a subindex value.
 Entries for a server must be present if the value of the corresponding applOperStatus object is up(1). If an instance of applOperStatus is not up(1), then attempts to access corresponding instances in this table may result in either noSuchName (SNMPv1) or noSuchInstance (SNMPv2) being returned by the agent."
INDEX { applIndex, rdbmsSrvParamName, rdbmsSrvParamSubIndex }
::= { rdbmsSrvParamTable 1 }

RdbmsSrvParamEntry ::=
SEQUENCE {
 rdbmsSrvParamName DisplayString,
 rdbmsSrvParamSubIndex INTEGER,
 rdbmsSrvParamID AutonomousType,

```

rdbmsSrvParamCurrValue      DisplayString,
rdbmsSrvParamComment       DisplayString
}

rdbmsSrvParamName          OBJECT-TYPE
SYNTAX                     DisplayString (SIZE (1..64))
MAX-ACCESS                 not-accessible
STATUS                     current
DESCRIPTION
"The name of a configuration parameter for a server. This
name is product-specific. The length is limited to 64
characters to constrain the number of sub-identifiers needed
for instance identification (and to minimize network
traffic)."
 ::= { rdbmsSrvParamEntry 1 }

rdbmsSrvParamSubIndex      OBJECT-TYPE
SYNTAX                     INTEGER (1..2147483647)
MAX-ACCESS                 not-accessible
STATUS                     current
DESCRIPTION
"The subindex value for this parameter. If the parameter is
naturally considered to contain a variable number of members
of a class, e.g. members of the DBA user group, or files
which are part of the database, then it must be presented as
a set of rows. If, on the other hand, the parameter
represents a set of choices from a class, e.g. the
permissions on a file or the options chosen out of the set of
all options allowed, AND is guaranteed to always fit in the
255 character length of a DisplayString, then it may be
presented as a comma separated list with a subindex value of
one. Zero may not be used as a value."
 ::= { rdbmsSrvParamEntry 2 }

rdbmsSrvParamID            OBJECT-TYPE
SYNTAX                     AutonomousType
MAX-ACCESS                 read-only
STATUS                     current
DESCRIPTION
"The ID of the parameter which may be described in some
other MIB. If there is no ID for this rdbmsSrvParamName,
attempts to access this object will return noSuchName
(SNMPv1) or noSuchInstance (SNMPv2)."
 ::= { rdbmsSrvParamEntry 3 }

rdbmsSrvParamCurrValue      OBJECT-TYPE
SYNTAX                     DisplayString
MAX-ACCESS                 read-write

```

STATUS current
 DESCRIPTION
 "The value for a configuration parameter now in effect, the actual setting for the server. While there may multiple values in the temporal domain of interest (for instance, the value to take effect at the next restart), this is the current setting.

Note that a compliant agent does not need to allow write access to this object."

::= { rdbmsSrvParamEntry 4 }

rdbmsSrvParamComment OBJECT-TYPE
 SYNTAX DisplayString
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION
 "Annotation which describes the purpose of a configuration parameter or the reason for a particular parameter's setting.

Note that a compliant agent does not need to allow write access to this object."

::= { rdbmsSrvParamEntry 5 }

rdbmsSrvLimitedResourceTable OBJECT-TYPE
 SYNTAX SEQUENCE OF RdbmsSrvLimitedResourceEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "The table of limited resources relevant to a server."
 ::= { rdbmsObjects 8 }

rdbmsSrvLimitedResourceEntry OBJECT-TYPE
 SYNTAX RdbmsSrvLimitedResourceEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 >An entry for a single limited resource kept by the server.
 A limited resource has maximum use determined by a parameter that might or might not changeable at run time, or visible in the rdbmsSrvParamTable. Examples would be the number of available locks, or number of concurrent executions allowed in a server. Arrays of resources are supported through an

integer subindex, which should have the value of one for single-instance names.

Limited resources that are shared across servers or databases are best duplicated in this table across all servers accessing the resource."

```
INDEX { applIndex, rdbmsSrvLimitedResourceName }
::= { rdbmsSrvLimitedResourceTable 1 }
```

RdbmsSrvLimitedResourceEntry ::=

```
SEQUENCE {
    rdbmsSrvLimitedResourceName      DisplayString,
    rdbmsSrvLimitedResourceID       AutonomousType,
    rdbmsSrvLimitedResourceLimit     INTEGER,
    rdbmsSrvLimitedResourceCurrent   INTEGER,
    rdbmsSrvLimitedResourceHighwater INTEGER,
    rdbmsSrvLimitedResourceFailures  Counter32,
    rdbmsSrvLimitedResourceDescription DisplayString
}
```

rdbmsSrvLimitedResourceName OBJECT-TYPE

```
SYNTAX          DisplayString
```

```
MAX-ACCESS      not-accessible
```

```
STATUS          current
```

```
DESCRIPTION
```

"The name of the resource, for instance 'threads' or 'semaphores', or 'buffer pages'"

```
::= { rdbmsSrvLimitedResourceEntry 1 }
```

rdbmsSrvLimitedResourceID OBJECT-TYPE

```
SYNTAX          AutonomousType
```

```
MAX-ACCESS      read-only
```

```
STATUS          current
```

```
DESCRIPTION
```

"The ID of the resource which may be described in some other MIB. If there is no ID for this rdbmsSrvLimitedResourceName, attempts to access this object will return noSuchName (SNMPv1) or noSuchInstance (SNMPv2)."

```
::= { rdbmsSrvLimitedResourceEntry 2 }
```

rdbmsSrvLimitedResourceLimit OBJECT-TYPE

```
SYNTAX          INTEGER (1..2147483647)
```

```
MAX-ACCESS      read-write
```

```
STATUS          current
```

DESCRIPTION

"The maximum value the resource use may attain.

Note that a compliant agent does not need to allow write access to this object."

```
::= { rdbmsSrvLimitedResourceEntry 3 }
```

rdbmsSrvLimitedResourceCurrent OBJECT-TYPE

SYNTAX INTEGER (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current value for the resource."

```
::= { rdbmsSrvLimitedResourceEntry 4 }
```

rdbmsSrvLimitedResourceHighwater OBJECT-TYPE

SYNTAX INTEGER (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum value of the resource seen since applUpTime was reset."

```
::= { rdbmsSrvLimitedResourceEntry 5 }
```

rdbmsSrvLimitedResourceFailures OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times the system wanted to exceed the limit of the resource since applUpTime was reset."

```
::= { rdbmsSrvLimitedResourceEntry 6 }
```

rdbmsSrvLimitedResourceDescription OBJECT-TYPE

SYNTAX DisplayString

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"A description of the resource and the meaning of the integer units used for Limit, Current, and Highwater.

Note that a compliant agent does not need to allow write access to this object."

```
::= { rdbmsSrvLimitedResourceEntry 7 }
```

```
-----
rdbmsRelTable   OBJECT-TYPE
  SYNTAX        SEQUENCE OF RdbmsRelEntry
  MAX-ACCESS   not-accessible
  STATUS       current
  DESCRIPTION
    "A table relating databases and servers present on a host."
 ::= { rdbmsObjects 9 }

rdbmsRelEntry   OBJECT-TYPE
  SYNTAX        RdbmsRelEntry
  MAX-ACCESS   not-accessible
  STATUS       current
  DESCRIPTION
    "An entry relating a single database server to a single
     database to which it may provide access. The table is
     indexed first by the index of rdbmsDbTable, and then
     rdbmsSrvTable, so that all servers capable of providing
     access to a given database may be found by SNMP traversal
     operations (get-next and get-bulk). The makeup of this table
     depends on the product's architecture, e.g. if it is one
     server - many databases, then each server will appear n
     times, where n is the number of databases it may access, and
     each database will appear once. If the architecture is one
     database - many servers, then each server will appear once
     and each database will appear n times, where n is the number
     of servers that may be accessing it."
  INDEX  { rdbmsDbIndex, applIndex }
 ::= { rdbmsRelTable 1 }

RdbmsRelEntry ::= {
  SEQUENCE {
    rdbmsRelState          INTEGER,
    rdbmsRelActiveTime     DateAndTime
  }
}

rdbmsRelState   OBJECT-TYPE
  SYNTAX        INTEGER{
    other(1),
    active(2),
    available(3),
    restricted(4),
    unavailable(5)
  }
  MAX-ACCESS   read-only
  STATUS       current
  DESCRIPTION
```

"The state of this server's access to this database.
 Active(2) means the server is actively using the database.
 Available(3) means the server could use the database if
 necessary. Restricted(4) means the database is in some
 administratively determined state of less-than-complete
 availability. Unavailable(5) means the database is not
 available through this server. Other(1) means the
 database/server is in some other condition, possibly
 described in the vendor private MIB."

```
::= { rdbmsRelEntry 1 }
```

rdbmsRelActiveTime OBJECT-TYPE
 SYNTAX DateAndTime
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The time the database was made active by the server. If an
 instance of rdbmsRelState is not active(1), then attempts to
 access the corresponding instance of this object may result
 in either noSuchName (SNMPv1) or noSuchInstance (SNMPv2)
 being returned by the agent."

```
::= { rdbmsRelEntry 2 }
```

-- Well known resources for which limits, high water marks,
-- access or allocation failures, and current levels of use
-- are possibly available in either the rdbmsDbLimitedResources
-- or the rdbmsSrvLimitedResources tables.

rdbmsWellKnownLimitedResources OBJECT IDENTIFIER

```
::= { rdbmsObjects 10 }
```

rdbmsLogSpace OBJECT-IDENTITY
 STATUS current
 DESCRIPTION
 "Storage allocated for redo and undo logs."

```
::= { rdbmsWellKnownLimitedResources 1}
```

rdbmsTraps OBJECT IDENTIFIER ::= { rdbmsMIB 2 }

rdbmsStateChange NOTIFICATION-TYPE
 OBJECTS { rdbmsRelState }
 STATUS current
 DESCRIPTION

"An rdbmsStateChange trap signifies that one of the database server/databases managed by this agent has changed its rdbmsRelState in a way that makes it less accessible for use. For these purposes, both active(2) and available(3) are considered fully accessible. The state sent with the trap is the new, less accessible state."

::= { rdbmsTraps 1 }

rdbmsOutOfSpace NOTIFICATION-TYPE
 OBJECTS { rdbmsSrvInfoDiskOutOfSpaces }
 STATUS current
 DESCRIPTION
 "An rdbmsOutOfSpace trap signifies that one of the database servers managed by this agent has been unable to allocate space for one of the databases managed by this agent. Care should be taken to avoid flooding the network with these traps."
 ::= { rdbmsTraps 2 }

-- compliance information

rdbmsConformance OBJECT IDENTIFIER ::= { rdbmsMIB 3 }
 rdbmsCompliances OBJECT IDENTIFIER ::= { rdbmsConformance 1 }
 rdbmsGroups OBJECT IDENTIFIER ::= { rdbmsConformance 2 }

-- compliance statements

rdbmsCompliance MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION
 "The compliance statement for SNMP entities which implement the RDBMS MIB"
 MODULE HOST-RESOURCES-MIB
 MANDATORY-GROUPS { hrSystem }
 MODULE APPLICATION-MIB
 MANDATORY-GROUPS { applGroup }
 MODULE RDBMS-MIB
 MANDATORY-GROUPS { rdbmsGroup }
 GROUP rdbmsGroup
 DESCRIPTION
 "The rdbmsGroup is mandatory, but no write access to objects is required for compliance."
 OBJECT rdbmsDbContact
 MIN-ACCESS read-only
 DESCRIPTION

```
"A compliant system need not allow write-access to this
object."
OBJECT      rdbmsDbParamCurrValue
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsDbParamComment
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsDbLimitedResourceLimit
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsDbLimitedResourceDescription
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsSrvContact
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsSrvInfoMaxInboundAssociations
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsSrvParamCurrValue
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsSrvParamComment
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsSrvLimitedResourceLimit
MIN-ACCESS  read-only
DESCRIPTION
    "A compliant system need not allow write-access to this
    object."
OBJECT      rdbmsSrvLimitedResourceDescription
```

```
MIN-ACCESS  read-only
DESCRIPTION
  "A compliant system need not allow write-access to this
  object."
 ::= { rdbmsCompliances 1 }

-- units of conformance

-- rdbmsStateChange and rdbmsOutOfSpace traps are omitted
-- intentionally. They are not required or part of any
-- conformance group.

rdbmsGroup  OBJECT-GROUP
OBJECTS  {
    rdbmsDbPrivateMibOID, rdbmsDbVendorName,
    rdbmsDbName, rdbmsDbContact,

    rdbmsDbInfoProductName, rdbmsDbInfoVersion,
    rdbmsDbInfoSizeUnits, rdbmsDbInfoSizeAllocated,
    rdbmsDbInfoSizeUsed, rdbmsDbInfoLastBackup,

    rdbmsDbParamCurrValue, rdbmsDbParamComment,

    rdbmsDbLimitedResourceLimit,
    rdbmsDbLimitedResourceCurrent,
    rdbmsDbLimitedResourceHighwater,
    rdbmsDbLimitedResourceFailures,
    rdbmsDbLimitedResourceDescription,

    rdbmsSrvPrivateMibOID, rdbmsSrvVendorName,
    rdbmsSrvProductName, rdbmsSrvContact,

    rdbmsSrvInfoStartTime,
    rdbmsSrvInfoFinishedTransactions,
    rdbmsSrvInfoDiskReads, rdbmsSrvInfoDiskWrites,
    rdbmsSrvInfoLogicalReads, rdbmsSrvInfoLogicalWrites,
    rdbmsSrvInfoPageReads, rdbmsSrvInfoPageWrites,
    rdbmsSrvInfoHandledRequests,
    rdbmsSrvInfoRequestRecvs, rdbmsSrvInfoRequestSends,
    rdbmsSrvInfoHighwaterInboundAssociations,
    rdbmsSrvInfoMaxInboundAssociations,

    rdbmsSrvParamCurrValue, rdbmsSrvParamComment,

    rdbmsSrvLimitedResourceLimit,
    rdbmsSrvLimitedResourceCurrent,
    rdbmsSrvLimitedResourceHighwater,
```

```
rdbmsSrvLimitedResourceFailures,  
rdbmsSrvLimitedResourceDescription,  
  
        rdbmsRelState, rdbmsRelActiveTime }  
STATUS    current  
DESCRIPTION  
        "A collection of objects providing basic instrumentation of an  
        RDBMS entity."  
::= { rdbmsGroups 1 }
```

END

5. Acknowledgements

This document was produced by the IETF RDBMSMIB working group:

Mark Allyn, Boeing
Virinder Batra, IBM
Jonathan Bauer DEC
Janice Befu, Network General
Gerard Berthet, Independence Technologies
Dave Brower, Ingres
Barry Bruins, Network General
David Campbell, Digital Equipment Corporation
Stephen Campbell, European Database Consulting
Jeff Case SNMP Research
Dave Crocker Silicon Graphics
Tony Daniel, Informix
Craig DeNoce, Sybase
Howard Dernehl, Ingres/Data General
Mike Hartstein, Oracle
Vijay Iyer, Independence Technologies
Britt Johnston, Progress
Bill Kehoe, Sybase
Deirdre Kostick, Bellcore
Cheryl Krupczak, Empire Technologies
Damien Lindauer, Microsoft
Ivan Lui, Informix
John McCormack, Tandem Computers Inc.
David Meldrum, Sybase
David Morandi, Red Brick Systems
Bob Natale, American Computer
Diana Parr, Gupta
David Perkins, Synoptics
Randy Presuhn, Peer Networks
Brian Promes, Novell

Bob Purvy, Oracle
Roger Reinsch, IBM
Marshall T. Rose, Dover Beach Consulting
Jon Saperia, DEC
Marc Sinykin, Oracle
Jay Smith, Oracle
Mike Sorsen, Edward D. Jones & Co.
Bob Taylor, Tandem
Maria Valls, IBM
Bert Wijnen, IBM
Stan Wong, IBM

6. References

- [1] Case, J., McCloghrie, K., Rose, M., and S. Waldbusser, "Structure of Management Information for version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1442, SNMP Research, Inc., Hughes LAN Systems, Dover Beach Consulting, Inc., Carnegie Mellon University, April 1993.
- [2] McCloghrie, K., and M. Rose, "Management Information Base for Network Management of TCP/IP-based internets - MIB-II", STD 17, RFC 1213, Hughes LAN Systems, Performance Systems International, March 1991.
- [3] Galvin, J., and K. McCloghrie, "Administrative Model for version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1445, Trusted Information Systems, Hughes LAN Systems, April 1993.
- [4] Case, J., McCloghrie, K., Rose, M., and S. Waldbusser, "Protocol Operations for version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1448, SNMP Research, Inc., Hughes LAN Systems, Dover Beach Consulting, Inc., Carnegie Mellon University, April 1993.
- [5] Case, J., McCloghrie, K., Rose, M., and S. Waldbusser, "Textual Conventions for version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1443, SNMP Research, Inc., Hughes LAN Systems, Dover Beach Consulting, Inc., Carnegie Mellon University, April 1993.
- [6] Kille, S., WG Chair, and N. Freed, Editor, "The Network Services Monitoring MIB", RFC 1565, ISO/IEC Consortium, Innosoft, January 1994.

7. Security Considerations

Security issues are not discussed in this memo.

8. Authors' Addresses

David Brower
The ASK Group, INGRES DBMS Development
1080 Marina Village Parkway
Alameda, CA, 94501
US

Phone: +1 510 748 3418
EMail: daveb@ingres.com

Bob Purvy
Oracle Corporation
500 Oracle Parkway
Redwood Shores, CA 94065
US

Phone: +1 415 506 2972
EMail: bpurvy@us.oracle.com

Anthony Daniel
Informix Software, Inc.
921 S.W. Washington Street
Portland, OR 97205
US

Phone: +1 503 221 2638
EMail: anthony@informix.com

Marc Sinykin
Oracle Corporation
400 Oracle Parkway
Redwood Shores, CA 94065
US

Phone: +1 415 506 2477
EMail: msinykin@us.oracle.com

Jay Smith
Oracle Corporation
400 Oracle Parkway
Redwood Shores, CA 94065
US

Phone: +1 415 506 6239
EMail: jaysmith@us.oracle.com

