

Network Working Group
Request for Comments: 5020
Category: Standards Track

K. Zeilenga
Isode Limited
August 2007

The Lightweight Directory Access Protocol (LDAP) entryDN
Operational Attribute

Status of This Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Copyright Notice

Copyright (C) The IETF Trust (2007).

Abstract

This document describes the Lightweight Directory Access Protocol (LDAP) / X.500 'entryDN' operational attribute. The attribute provides a copy of the entry's distinguished name for use in attribute value assertions.

1. Background and Intended Use

In X.500 Directory Services [X.501], such as those accessible using the Lightweight Directory Access Protocol (LDAP) [RFC4510], an entry is identified by its distinguished name (DN) [RFC4512]. However, as an entry's DN is not an attribute of the entry, it is not possible to perform attribute value assertions [RFC4511] against it.

This document describes the 'entryDN' operational attribute which holds a copy of the entry's distinguished name. This attribute may be used in search filters. For instance, searching the subtree <dc=example,dc=com> with the filter:

```
(entryDN:componentFilterMatch:=or:{
  item:{ component "3", rule rdnMatch, value "ou=A" },
  item:{ component "3", rule rdnMatch, value "ou=B" } })
```

would return entries in the subtree <ou=A,dc=example,dc=com> and entries in subtree <ou=B,dc=example,dc=com>, but would not return any other entries in the subtree <dc=example,dc=com>.

In the above paragraph, DNs are presented using the string representation defined in [RFC4514], and the example search filter is presented using the string representation defined in [RFC4515] with whitespace (line breaks and indentation) added to improve readability. The 'componentFilterMatch' and 'rdnMatch' rules are specified in [RFC3687].

Schema definitions are provided using LDAP description formats [RFC4512]. Definitions provided here are formatted (line wrapped) for readability.

2. 'entryDN' Operational Attribute

The 'entryDN' operational attribute provides a copy of the entry's current DN.

The following is an LDAP attribute type description suitable for publication in subschema subentries.

```
( 1.3.6.1.1.20 NAME 'entryDN'
  DESC 'DN of the entry'
  EQUALITY distinguishedNameMatch
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.12
  SINGLE-VALUE
  NO-USER-MODIFICATION
  USAGE directoryOperation )
```

Note that the DN of the entry cannot be modified through this attribute.

3. Security Considerations

As this attribute only provides an additional mechanism to access an entry's DN, the introduction of this attribute is not believed to introduce new security considerations.

4. IANA Considerations

4.1. Object Identifier Registration

IANA has registered (upon Standards Action) an LDAP Object Identifier [RFC4520] for use in this document.

```
Subject: Request for LDAP OID Registration
Person & email address to contact for further information:
  Kurt Zeilenga <Kurt.Zeilenga@Isode.COM>
Specification: RFC 5020
Author/Change Controller: IESG
Comments:
  Identifies the 'entryDN' attribute type
```

4.2. 'entryDN' Descriptor Registration

IANA has registered (upon Standards Action) the LDAP 'entryDN' descriptor [RFC4520].

```
Subject: Request for LDAP Descriptor Registration
Descriptor (short name): entryDN
Object Identifier: 1.3.6.1.1.20
Person & email address to contact for further information:
  Kurt Zeilenga <Kurt.Zeilenga@Isode.COM>
Usage: Attribute Type
Specification: RFC 5020
Author/Change Controller: IESG
```

5. References

5.1. Normative References

- [RFC4510] Zeilenga, K., Ed., "Lightweight Directory Access Protocol (LDAP): Technical Specification Road Map", RFC 4510, June 2006.
- [RFC4512] Zeilenga, K., Ed., "Lightweight Directory Access Protocol (LDAP): Directory Information Models", RFC 4512, June 2006.
- [X.501] International Telecommunication Union - Telecommunication Standardization Sector, "The Directory -- Models," X.501(1993) (also ISO/IEC 9594-2:1994).

5.2. Informative References

- [RFC3687] Legg, S., "Lightweight Directory Access Protocol (LDAP) and X.500 Component Matching Rules", RFC 3687, February 2004.
- [RFC4511] Sermersheim, J., Ed., "Lightweight Directory Access Protocol (LDAP): The Protocol", RFC 4511, June 2006.
- [RFC4514] Zeilenga, K., Ed., "Lightweight Directory Access Protocol (LDAP): String Representation of Distinguished Names", RFC 4514, June 2006.
- [RFC4515] Smith, M., Ed., and T. Howes, "Lightweight Directory Access Protocol (LDAP): String Representation of Search Filters", RFC 4515, June 2006.
- [RFC4520] Zeilenga, K., "Internet Assigned Numbers Authority (IANA) Considerations for the Lightweight Directory Access Protocol (LDAP)", BCP 64, RFC 4520, June 2006.

Author's Address

Kurt D. Zeilenga
Isode Limited

E-Mail: Kurt.Zeilenga@Isode.COM

Full Copyright Statement

Copyright (C) The IETF Trust (2007).

This document is subject to the rights, licenses and restrictions contained in BCP 78, and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY, THE IETF TRUST AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in BCP 78 and BCP 79.

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at ietf-ipr@ietf.org.

Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.

