# On LEOs and Starlink

Geoff Huston AM Chief Scientist, APNIC

November 2023



#### LEOs in the News

#### Together Optus and SpaceX Plan to Cover 100% of Australia

12 July 2023, 04:00 PM

Science / Entertainment / More 🕂

(i) X

- Optus' collaboration with SpaceX aims to provide regional Australia with a new way to connect starting in late 2024.
- Optus plans to roll out SMS from late 2024, with voice and data also on the horizon from late 2025.

#### TECH / MOBILE / T-MOBILE

NIKKEI **Asia** 

World v Trending v Business v Markets v Tech v Politics v Economy v Featur

#### T-Mobile and SpaceX Starlink say your 5G phone will connect to satellites next year

Reuter

July 2, 2023 7:35 PM PDT · Updated 22 days ago

Screenshot - https://www.theverge.com/2022/8/25/23320722/spacex-

Telstra partners with Elon Musk's Starlink for internet in remote Australia





TELECOMMUNICATION

Elon Musk's Starlink launches satellite internet service in Japan

Company offers high-speed access to remote areas

### Newtonian Physics

- If you fire a projectile with a speed greater than 11.2Km/sec it will not fall back to earth, and instead head away from earth never to return
- On the other hand, if you incline the aiming trajectory and fire it at a critical speed it will settle into an orbit around the earth
- The higher the altitude, the lower the orbital speed required to maintain orbit



THAT by means of centripetal forces, the Planets may be retained in certain orbits, we may eafily understand, if we confider the motions of projectiles. For a ftone projected is by the preffure of its own weight forced out of the rectilinear path, which by the projection alone it fhould have purfued, and made to defcribe a curve line in the air; and through that crooked way is at laft brought down to the ground. And the greater the velocity is with which it is projected, the farther it goes before it falls to the Earth. We may therefore fuppole the velocity to be fo encreafed, that it would defcribe an arc of 1, 2, 5, 10, 100,

#### Solar Radiation Physics



- The rotating iron core of the Earth produces a strong magnetic field
- This magnetic deflects solar radiation – the Van Allen Belt
- Sheltering below the Van Allen Belt protects the spacecraft from the worst effects of solar radiation, allowing advanced electronics to be used in the spacecraft

## w Farth Orbit

#### Earth Radius 6378 Km / 3963 mi

∠ 0 km / mi - Sea Level.

37.6 km / 23.4 mi - Self Propelled Jet Aircraft Flight Ceiling (Record Set in 1977).
215 km / 133.6 mi - Sputnik-1 The first artificial satellite of earth.
340 km / 211.3 mi - International Space Station.
390 km / 242.3 mi - Former Russian Space Station MIR.
595 km / 369.7 mi - Hubble Space Telescope.

[700 - 1700 km] - Polar Orbiting Satellites. [435 - 1056 mi]

LEO Zone (Low Earth Orbit)

(Medium Earth Orbit)

MEO Zone

2000 Km / 1243.7 mi

#### 600 - 800 km / 372.8 - 497.1 mi - Sun-synchronous Satellites

These satellites orbit the Earth in near exact polar orbits north to south. They cross the equator multiple times per day and each time they are at the same angle with respect to the sun. Satellites on these types of orbits are particularly useful for capturing images of the Earth's surface or images of the sun.

#### Low Earth Orbit

- LEO satellites are stations between 160km and 2,000km in altitude.
- High enough to stop it slowing down by "grazing" the denser parts of the earth's ionosphere
- Not so high that it loses the radiation protection afforded by the Inner Van Allen belt.
- At a height of 550km, the minimum signal propagation delay to reach the satellite and back is 3.7ms, at 25° it's 7.5ms, and at the horizon it's 18ms







screenshot from starwatch app

Image - spacex

#### Starlink Constellation



If you use a minimum angle of elevation of 25° then at an altitude of 550km each satellite spans a terrestrial footprint of no more than ~900Km radius, or 2M K<sup>2</sup>

At a minimum, a LEO satellite constellation needs 500 satellites to provide coverage of all parts of the earth's surface

For high quality coverage the constellation will need 6x-20x that number (or more!)

#### Starlink Constellation

• 4,276 in-service operational spacecraft, operating at an altitude of 550km





https://satellitemap.space/

### So LEOs are "interesting"!

- They are very close to the Earth which means:
  - They don't need specialised high-power equipment to send and receive signals
    - Even hand-held mobile devices can send and receive signals with a LEO!
  - They can achieve very high signal speeds
    - It's a highly focussed signal beam
  - They are harder to disrupt by external interference
- But you need a large number of them to provide a continuous service
- The extremely host cost of launching a large constellation of LEO spacecraft has been the major problem with LEO service until recently
  - Which is why Motorola's Iridium service went bankrupt soon after launch

## What's changed recently?

 SpaceX's reusable rocket technology has slashed the cost of lifting spacecraft into low earth orbit



https://ourworldindata.org/grapher/cost-space-launches-low-earth-orbit

#### So Many LEO Satellites!

SpaceX Starlink Gen 1	4,408
SpaceX Starlink Gen 2	29,988
OneWeb, Phase 1	718
OneWeb, Phase 2	6,372
Amazon Project Kuiper	7,774
China Guowang	12,992
Astra	13,620
Boeing	5,842
Globalstar	3,080
Lynk	2,000
Telesat Lightspeed	1,969
Spin Launch	1,190
TOTAL	89,953
E-Space	337,323

Current and Planned satellite constellations

#### Tracking a LEO satellite



## Looking Up



Starlink tracks satellites with a minimum elevation of 25°.

There are between 30 – 50 visible Starlink satellites at any point on the surface between latitudes 56° North and South

Each satellite traverses the visible aperture for a maximum of ~3 minutes

### Starlink Scheduling

- A satellite is assigned to a user terminal in 15 second time slots
- Tracking of a satellite (by phased array focussing) works across 11 degrees of arc per satellite in each 15 second slot



### Starlink Scheduling

- Latency changes on each satellite switch
- If we take the minimum latency on each 15 second scheduling interval, we can expose the effects of the switching interval on latency
- Across the 15 second interval on latency
   Across the 15 second interval interval of there will be a drift in latency according to the satellite's track and the distance relative to the two earth points
- Other user traffic will also impact on latency, and also the effects of a large buffer in the user modem



<sup>15-</sup>second interval sequence number

#### Starlink Spot Beams

- Each spacecraft 2,000 MHz of spectrum for user downlink and splits it into 8x channels of 250 MHz each
- Each satellite has 3 downlink antennas and 1 uplink antennas, and each can do 8 beams x 2 polarizations, for a total of 48 beams down and 16 up.



"Unveiling Beamforming Strategies of Starlink LEO Satellites"

https://people.engineering.osu.edu/sites/default/files/2022-10/Kassas\_Unveiling\_Beamforming\_Strategies\_of\_Starlink\_LEO\_Satellites.pdf

#### Starlink's reports

\$ starlink-grpc-tools/dish\_grpc\_text.py -v status id: ut0100000-0000000-005dd555 hardware\_version: rev3\_proto2 software\_version: 5a923943-5acb-4d05-ac58-dd93e72b7862.uterm.release state: CONNECTED uptime: 481674 snr: seconds\_to\_first\_nonempty\_slot: 0.0 non ning drop rate: 0.0 downlink\_throughput\_bps: 16693.330078125 uplink\_throughput\_bps: 109127.3984375 pop\_ping\_latency\_ms: Alerts bit field: 49.5 fraction\_obstructed: 0.04149007424712181 currently\_obstructed: False seconds\_obstructed: obstruction duration: 1.9579976797103882 obstruction\_interval: 540.0 direction azimuth: -42.67951583862305 direction\_elevation: 64.61225128173828 is\_snr\_above\_noise\_floor: True

#### Reported Capacity & Latency



• This is going to present some interesting issues for conventional TCP

#### Reported Capacity & Latency

- TCP uses ACK pacing which means it attempts to optimize its sending rate over multiple RTT intervals
- The variation in latency and capacity occurs at high frequency, which means that TCP control is going to struggle to optimize itself against a shifting target



#### Link Characteristics

1-second ping



#### How well does all this work?

#### Speedtest measurements:



We should be able to get 120Mbps out of a starlink connection. Right?

#### TCP Flow Control Algorithms



"Ideal" Flow behaviour for each protocol

#### iperf3 - cubic, 60 seconds





## Qperf - quic (with cubic)



24

### iperf3 - bbr



TCP with BBR

25

## Cubic, Quic/Cubic, BBR



Protocol Performance Compared

### Protocol Considerations

- Starlink services have two issues:
  - Very high jitter rates
  - High levels of micro-loss
- Loss-based flow control algorithms will over-react and pull back the sending rate over time
  - Short transactions work very well
  - Paced connections (voice, zoom, video streaming) tend to work well most of the time
  - Bulk data transfer, not so much
- You need to move to less loss-sensitive flow control algorithms, such as BBR to get good performance out of these services

#### What about Starlink Gen2?

- These satellites are larger, heavier and operate at a higher power level
- More bandwidth available, better SNR, and high achievable data speeds
- Multiple orbital plans at a collection of discrete altitudes
- Incorporates 5G cellular services
- Will use inter-satellite laser connectors to support packet routing across satellites – few details as yet

#### I don't want to leave you with the wrong impression of Starlink

Starlink is perfectly acceptable for:

- short transactions
- video streaming
- conferencing
- The service can sustain 10 20Mbps delivery for long-held sessions
  - The isolated drop events generally do not intrude into the session state
- And it can be used in all kinds of places where existing wire and mobile radio systems either under-perform or aren't there at all!
- Its probably not the best trunk infrastructure service medium, but it's a really good high speed last mile direct retail access service, particularly for remote locations!
- Its also very challenging to jam!

### Questions?