

Network Working Group  
Request for Comments: 551

Y. Feinroth  
NYU  
R. Fink  
LBL  
August 27, 1973

New York University  
Courant Institute of Mathematical Sciences  
AEC Computing and Applied Mathematics Center  
251 Mercer Street  
New York, N.Y. 10012

ARPA Network Information Center  
Stanford Research Institute  
Menlo Park, California

Several Atomic Energy Commission installations are planning to enter the network in the (hopefully) near future. These sites include Argonne National Laboratory (IBM 360/195), Lawrence Berkeley Labs, (CDC 7600), and New York University (CDC 6600). Our applications make early implementation of an RJE facility imperative, and although we are resigned to the necessity of implementing FTP, we would like to avoid RJE protocol at least in the first go-around. We would like to be able to use FTP to transfer a file, have it queued for execution, and return output and status information.

To this end we propose to implement local conventions within the site dependent PATHNAME parameter of the FTP. Specifically, the following commands are specified:

STOR	RJE.JOB<rest of pathname>	queue this file for execution
(STOR/RETR)	RJE.PR < >	transfer remote job print file
(STOR/RETR)	RJE.PU < >	" " " punch "
(STOR/RETR)	RJE.MT < >	" " " magtape "
RETR	RJE.STAT < >	retrieve status of remote job

The job execution parameters are not part of the protocol, but must be specified in the standard site dependent control cards which are transmitted with the file. These parameters also determine the output disposition, and the output can be retrieved by the user via RETR, or (optionally) automatically by server initiation via STOR.\* The RETR RJE.STAT causes the server to create a file with the status information and transfer it to the user. The FTP user/acct/pass logon is used only to validate the data transfer, not the job's right to execute, and to identify and distribute the output.

We are concerned that we may have overlooked some problems which are obvious to more knowledgeable people and invite (and request) comments.

\* note that in this case the RJE server is an FTP user.

[ This RFC was put into machine readable form for entry ]  
[ into the online RFC archives by Tony Hansen 08/08 ]

