

Network Working Group  
Request for Comments: 4711  
Category: Standards Track

A. Siddiqui  
D. Romascanu  
Avaya  
E. Golovinsky  
Alert Logic  
October 2006

## Real-time Application Quality-of-Service Monitoring (RAQMON) MIB

### Status of This Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

### Copyright Notice

Copyright (C) The Internet Society (2006).

### Abstract

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. The document proposes an extension to the Remote Monitoring MIB, RFC 2819. In particular, it describes managed objects used for real-time application Quality of Service (QoS) monitoring.

### Table of Contents

1. Introduction .....	2
2. The Internet-Standard Management Framework .....	2
3. RAQMON Framework .....	2
4. Structure of the RAQMON MIB .....	2
5. RAQMON MIB Definitions .....	3
6. Security Considerations .....	33
7. IANA Considerations .....	35
8. Acknowledgements .....	35
9. Normative References .....	36
10. Informative References .....	36

## 1. Introduction

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. In particular, it extends [RFC2819] with managed objects used for real-time application QoS monitoring.

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

## 2. The Internet-Standard Management Framework

For a detailed overview of the documents that describe the current Internet-Standard Management Framework, please refer to section 7 of RFC 3410 [RFC3410].

Managed objects are accessed via a virtual information store, termed the Management Information Base or MIB. MIB objects are generally accessed through the Simple Network Management Protocol (SNMP). Objects in the MIB are defined using the mechanisms defined in the Structure of Management Information (SMI). This memo specifies a MIB module that is compliant to the SMIV2, which is described in STD 58, RFC 2578 [RFC2578], STD 58, RFC 2579 [RFC2579] and STD 58, RFC 2580 [RFC2580].

## 3. RAQMON Framework

As outlined in [RFC4710], the RAQMON framework is based on three entities:

- RAQMON Data Source (RDS)
- RAQMON Report Collector (RRC)
- RAQMON MIB Structure

The RAQMON MIB describes information passed between RRCs and a RAQMON Application ("RAQMON manager").

## 4. Structure of the RAQMON MIB

The RAQMON MIB module is composed of three MIB groups: raqmonSession, raqmonException, and raqmonConfig.

The raqmonSession MIB group incorporates the following tables:

- The raqmonParticipantTable contains information about participants in open and closed (terminated) sessions, including parameters of the sessions they are involved in, aggregated since the beginning of the session.
- The raqmonQosTable contains historical information about QoS during sessions. The set of parameters represented in this table is more restricted, but it includes historical per-RAQMON-report information.
- The raqmonParticipantAddrTable maps participant addresses into the indices of the raqmonParticipantTable. This table allows management applications to find entries sorted by raqmonParticipantAddr rather than raqmonParticipantStartDate.

The raqmonException MIB group includes a table of filters that trigger notifications for sessions with poor QoS.

The raqmonConfig MIB group includes objects that define the configuration of the RAQMON Report Collector.

This MIB module MUST be implemented by RAQMON Report Collectors.

A separate MIB module is defined in [RFC4712] for mapping the RAQMON PDUs onto an SNMP transport. The MIB module defined in [RFC4712] is normally implemented by RAQMON Data Sources (RDS).

## 5. RAQMON MIB Definitions

The MIB module herein IMPORTS definitions from the following:

- SNMPv2-SMI [RFC2578]
- SNMPv2-TC [RFC2579]
- SNMPv2-CONF [RFC2580]
- RMON-MIB [RFC2819]
- SNMP-FRAMEWORK-MIB [RFC3411]
- INET-ADDRESS-MIB [RFC4001]

It also uses REFERENCE clauses to refer to [RFC4710].

It also mentions [RFC3737] with respect to the MODULE-IDENTITY OID allocation.

RAQMON-MIB DEFINITIONS ::= BEGIN

IMPORTS

OBJECT-GROUP, NOTIFICATION-GROUP, MODULE-COMPLIANCE  
 FROM SNMPv2-CONF  
 Integer32, Unsigned32,  
 Gauge32, Counter32, OBJECT-TYPE,  
 MODULE-IDENTITY, NOTIFICATION-TYPE  
 FROM SNMPv2-SMI  
 InetAddressType, InetAddress, InetPortNumber  
 FROM INET-ADDRESS-MIB  
 SnmpAdminString  
 FROM SNMP-FRAMEWORK-MIB  
 rmon  
 FROM RMON-MIB  
 RowStatus, TruthValue, DateAndTime, RowPointer  
 FROM SNMPv2-TC;

raqmonMIB MODULE-IDENTITY

LAST-UPDATED "200610100000Z" -- October 10, 2006  
 ORGANIZATION  
 "IETF RMON MIB Working Group"  
 CONTACT-INFO  
 "WG Charter:  
 http://www.ietf.org/html.charters/rmonmib-charter.html  
  
 Mailing lists:  
 General Discussion: rmonmib@ietf.org  
 To Subscribe: rmonmib-requests@ietf.org  
 In Body: subscribe your\_email\_address  
  
 Chair: Andy Bierman  
 Email: ietf@andybierman.com  
  
 Editor: Dan Romascanu  
 Avaya  
 Email: dromasca@avaya.com"

DESCRIPTION

"Real-Time Application QoS Monitoring MIB.

Copyright (c) The Internet Society (2006).  
 This version of this MIB module is part of  
 RFC 4711; See the RFC itself for full legal notices."

REVISION "200610100000Z"

DESCRIPTION

"Initial version, published as RFC 4711."

::= { rmon 31 }

-- This OID allocation conforms to [RFC3737]

```

--
-- Node definitions
--
    raqmonNotifications OBJECT IDENTIFIER ::= { raqmonMIB 0 }

    raqmonSessionAlarm NOTIFICATION-TYPE
        OBJECTS { raqmonParticipantAddr,
                  raqmonParticipantName,
                  raqmonParticipantPeerAddrType,
                  raqmonParticipantPeerAddr,
                  raqmonQoSEnd2EndNetDelay,
                  raqmonQoSInterArrivalJitter,
                  raqmonQoSLostPackets,
                  raqmonQoSRcvdPackets }
        STATUS current
        DESCRIPTION
            "A notification generated by an entry in the
             raqmonSessionExceptionTable."
        ::= { raqmonNotifications 1 }

    raqmonMIBObjects OBJECT IDENTIFIER ::= { raqmonMIB 1 }

    raqmonSession OBJECT IDENTIFIER ::= { raqmonMIBObjects 1 }

    raqmonParticipantTable OBJECT-TYPE
        SYNTAX SEQUENCE OF RaqmonParticipantEntry
        MAX-ACCESS not-accessible
        STATUS current
        DESCRIPTION
            "This table contains information about participants in
             both active and closed (terminated) sessions."
        ::= { raqmonSession 1 }

    raqmonParticipantEntry OBJECT-TYPE
        SYNTAX RaqmonParticipantEntry
        MAX-ACCESS not-accessible
        STATUS current
        DESCRIPTION
            "Each row contains information for a single session
             (application) run by one participant.
             Indexation by the start time of the session aims
             to ease sorting by management applications. Agents MUST
             NOT report identical start times for any two sessions
             on the same host.
             Rows are removed for inactive sessions
             when implementation-specific age or space limits are
             reached."

```

```
INDEX { raqmonParticipantStartDate, raqmonParticipantIndex }
 ::= { raqmonParticipantTable 1 }
```

```
RaqmonParticipantEntry ::=
```

```
SEQUENCE {
    raqmonParticipantStartDate      DateAndTime,
    raqmonParticipantIndex          Unsigned32,
    raqmonParticipantReportCaps    BITS,
    raqmonParticipantAddrType      InetAddressType,
    raqmonParticipantAddr          InetAddress,
    raqmonParticipantSendPort      InetPortNumber,
    raqmonParticipantRecvPort      InetPortNumber,
    raqmonParticipantSetupDelay    Integer32,
    raqmonParticipantName          SnmpAdminString,
    raqmonParticipantAppName       SnmpAdminString,
    raqmonParticipantQosCount      Gauge32,
    raqmonParticipantEndDate       DateAndTime,
    raqmonParticipantDestPayloadType Integer32,
    raqmonParticipantSrcPayloadType Integer32,
    raqmonParticipantActive        TruthValue,
    raqmonParticipantPeer          RowPointer,
    raqmonParticipantPeerAddrType  InetAddressType,
    raqmonParticipantPeerAddr      InetAddress,
    raqmonParticipantSrcL2Priority   Integer32,
    raqmonParticipantDestL2Priority  Integer32,
    raqmonParticipantSrcDSCP        Integer32,
    raqmonParticipantDestDSCP       Integer32,
    raqmonParticipantCpuMean        Integer32,
    raqmonParticipantCpuMin         Integer32,
    raqmonParticipantCpuMax         Integer32,
    raqmonParticipantMemoryMean     Integer32,
    raqmonParticipantMemoryMin      Integer32,
    raqmonParticipantMemoryMax     Integer32,
    raqmonParticipantNetRTTMean     Integer32,
    raqmonParticipantNetRTTMin      Integer32,
    raqmonParticipantNetRTTMax     Integer32,
    raqmonParticipantIAJitterMean   Integer32,
    raqmonParticipantIAJitterMin    Integer32,
    raqmonParticipantIAJitterMax    Integer32,
    raqmonParticipantIPDVMean       Integer32,
    raqmonParticipantIPDVMin        Integer32,
    raqmonParticipantIPDVMax        Integer32,
    raqmonParticipantNetOwdMean     Integer32,
    raqmonParticipantNetOwdMin      Integer32,
    raqmonParticipantNetOwdMax      Integer32,
    raqmonParticipantAppDelayMean   Integer32,
    raqmonParticipantAppDelayMin    Integer32,
    raqmonParticipantAppDelayMax    Integer32,
```

```

raqmonParticipantPacketsRcvd   Integer32,
raqmonParticipantPacketsSent   Integer32,
raqmonParticipantOctetsRcvd    Integer32,
raqmonParticipantOctetsSent    Integer32,
raqmonParticipantLostPackets   Integer32,
raqmonParticipantLostPacketsFrct Integer32,
raqmonParticipantDiscards      Integer32,
raqmonParticipantDiscardsFrct  Integer32
}

```

raqmonParticipantStartDate OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The date and time of this entry.

It will be the date and time  
of the first report received."

::= { raqmonParticipantEntry 1 }

raqmonParticipantIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The index of the conceptual row, which is for SNMP  
purposes only and has no relation to any protocol value.

There is no requirement that these rows be created or  
maintained sequentially. The index will be unique for a  
particular date and time."

::= { raqmonParticipantEntry 2 }

raqmonParticipantReportCaps OBJECT-TYPE

SYNTAX BITS {

```

raqmonPartRepDsrcName(0),
raqmonPartRepRecvName(1),
raqmonPartRepDsrcPort(2),
raqmonPartRepRecvPort(3),
raqmonPartRepSetupTime(4),
raqmonPartRepSetupDelay(5),
raqmonPartRepSessionDuration(6),
raqmonPartRepSetupStatus(7),
raqmonPartRepRTend2EndNetDelay(8),
raqmonPartRepOWend2EndNetDelay(9),
raqmonPartApplicationDelay(10),
raqmonPartRepIAJitter(11),
raqmonPartRepIPDV(12),

```

```

raqmonPartRepRcvdPackets(13),
raqmonPartRepRcvdOctets(14),
raqmonPartRepSentPackets(15),
raqmonPartRepSentOctets(16),
raqmonPartRepCumPacketsLoss(17),
raqmonPartRepFractionPacketsLoss(18),
raqmonPartRepCumDiscards(19),
raqmonPartRepFractionDiscards(20),
raqmonPartRepSrcPayloadType(21),
raqmonPartRepDestPayloadType(22),
raqmonPartRepSrcLayer2Priority(23),
raqmonPartRepSrcTosDscp(24),
raqmonPartRepDestLayer2Priority(25),
raqmonPartRepDestTosDscp(26),
raqmonPartRepCPU(27),
raqmonPartRepMemory(28),
raqmonPartRepAppName(29)
}
MAX-ACCESS    read-only
STATUS        current
DESCRIPTION
  "The Report capabilities of the participant, as perceived
  by the Collector.

  If the participant can report the Data Source Name as
  defined in [RFC4710], Section 5.3, then the
  raqmonPartRepDsrcName bit will be set.

  If the participant can report the Receiver Name as
  defined in [RFC4710], Section 5.4, then the
  raqmonPartRepRecvName bit will be set.

  If the participant can report the Data Source Port as
  defined in [RFC4710], Section 5.5, then the
  raqmonPartRepDsrcPort bit will be set.

  If the participant can report the Receiver Port as
  defined in [RFC4710], Section 5.6, then the
  raqmonPartRepRecvPort bit will be set.

  If the participant can report the Session Setup Time as
  defined in [RFC4710], Section 5.7, then the
  raqmonPartRepSetupTime bit will be set.

  If the participant can report the Session Setup Delay as
  defined in [RFC4710], Section 5.8, then the
  raqmonPartRepSetupDelay bit will be set.
```



If the participant can report the Session Duration as defined in [RFC4710], Section 5.9, then the raqmonPartRepSessionDuration bit will be set.

If the participant can report the Setup Status as defined in [RFC4710], Section 5.10, then the raqmonPartRepSetupStatus bit will be set.

If the participant can report the Round-Trip End-to-end Network Delay as defined in [RFC4710], Section 5.11, then the raqmonPartRepRTEnd2EndNetDelay bit will be set.

If the participant can report the One-way End-to-end Network Delay as defined in [RFC4710], Section 5.12, then the raqmonPartRepOWEnd2EndNetDelay bit will be set.

If the participant can report the Application Delay as defined in [RFC4710], Section 5.13, then the raqmonPartRepApplicationDelay bit will be set.

If the participant can report the Inter-Arrival Jitter as defined in [RFC4710], Section 5.14, then the raqmonPartRepIAJitter bit will be set.

If the participant can report the IP Packet Delay Variation as defined in [RFC4710], Section 5.15, then the raqmonPartRepIPDV bit will be set.

If the participant can report the number of application packets received as defined in [RFC4710], Section 5.16, then the raqmonPartRepRcvdPackets bit will be set.

If the participant can report the number of application octets received as defined in [RFC4710], Section 5.17, then the raqmonPartRepRcvdOctets bit will be set.

If the participant can report the number of application packets sent as defined in [RFC4710], Section 5.18, then the raqmonPartRepSentPackets bit will be set.

If the participant can report the number of application octets sent as defined in [RFC4710], Section 5.19, then the raqmonPartRepSentOctets bit will be set.

If the participant can report the number of cumulative packets lost as defined in [RFC4710], Section 5.20, then the raqmonPartRepCumPacketsLoss bit will be set.

If the participant can report the fraction of packet loss as defined in [RFC4710], Section 5.21, then the raqmonPartRepFractionPacketsLoss bit will be set.

If the participant can report the number of cumulative discards as defined in [RFC4710], Section 5.22, then the raqmonPartRepCumDiscards bit will be set.

If the participant can report the fraction of discards as defined in [RFC4710], Section 5.23, then the raqmonPartRepFractionDiscards bit will be set.

If the participant can report the Source Payload Type as defined in [RFC4710], Section 5.24, then the raqmonPartRepSrcPayloadType bit will be set.

If the participant can report the Destination Payload Type as defined in [RFC4710], Section 5.25, then the raqmonPartRepDestPayloadType bit will be set.

If the participant can report the Source Layer 2 Priority as defined in [RFC4710], Section 5.26, then the raqmonPartRepSrcLayer2Priority bit will be set.

If the participant can report the Source DSCP/ToS value as defined in [RFC4710], Section 5.27, then the raqmonPartRepSrcToSDscp bit will be set.

If the participant can report the Destination Layer 2 Priority as defined in [RFC4710], Section 5.28, then the raqmonPartRepDestLayer2Priority bit will be set.

If the participant can report the Destination DSCP/ToS Value as defined in [RFC4710], Section 5.29, then the raqmonPartRepDestToSDscp bit will be set.

If the participant can report the CPU utilization as defined in [RFC4710], Section 5.30, then the raqmonPartRepCPU bit will be set.

If the participant can report the memory utilization as defined in [RFC4710], Section 5.31, then the raqmonPartRepMemory bit will be set.

If the participant can report the Application Name as defined in [RFC4710], Section 5.32, then the raqmonPartRepAppName bit will be set.

The capability of reporting of a specific metric does not mandate that the metric must be reported permanently by the data source to the respective collector. Some data sources MAY be configured not to send a metric, or some metrics may not be relevant to the specific application."

```
::= { raqmonParticipantEntry 3 }
```

```
raqmonParticipantAddrType OBJECT-TYPE
```

```
SYNTAX InetAddressType
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The type of the Internet address of the participant for  
this session."
```

```
::= { raqmonParticipantEntry 4 }
```

```
raqmonParticipantAddr OBJECT-TYPE
```

```
SYNTAX InetAddress
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The Internet Address of the participant for this  
session. Formatting of this object is determined  
by the value of raqmonParticipantAddrType."
```

```
::= { raqmonParticipantEntry 5 }
```

```
raqmonParticipantSendPort OBJECT-TYPE
```

```
SYNTAX InetPortNumber
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"Port from which session data is sent.  
If the value was not reported to the collector,  
this object will have the value 0."
```

```
REFERENCE
```

```
"Section 5.5 of the [RFC4710]"
```

```
::= { raqmonParticipantEntry 6 }
```

```
raqmonParticipantRecvPort OBJECT-TYPE
```

```
SYNTAX InetPortNumber
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"Port on which session data is received.  
If the value was not reported to the collector,  
this object will have the value 0."
```

```
REFERENCE
```

```
"Section 5.6 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 7 }
```

```
raqmonParticipantSetupDelay OBJECT-TYPE  
 SYNTAX Integer32 (-1|0..2147483647)  
 UNITS "milliseconds"  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION  
     "Session setup time.  
     If the value was not reported to the collector,  
     this object will have the value -1."  
 REFERENCE  
     "Section 5.8 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 8 }
```

```
raqmonParticipantName OBJECT-TYPE  
 SYNTAX SnmpAdminString  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION  
     "The data source name for the participant."  
 REFERENCE  
     "Section 5.3 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 9 }
```

```
raqmonParticipantAppName OBJECT-TYPE  
 SYNTAX SnmpAdminString  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION  
     "A string giving the name and possibly the version  
     of the application generating the stream, e.g.,  
     'videotool 1.2.'  
  
     This information may be useful for debugging purposes  
     and is similar to the Mailer or Mail-System-Version SMTP  
     headers. The tool value is expected to remain constant  
     for the duration of the session."  
 REFERENCE  
     "Section 5.32 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 10 }
```

```
raqmonParticipantQosCount OBJECT-TYPE  
 SYNTAX Gauge32  
 UNITS "entries"  
 MAX-ACCESS read-only  
 STATUS current
```

## DESCRIPTION

"The current number of entries in the raqmonQosTable for this participant and session."  
 ::= { raqmonParticipantEntry 11 }

## raqmonParticipantEndDate OBJECT-TYPE

SYNTAX DateAndTime  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION

"The date and time of the most recent report received."  
 ::= { raqmonParticipantEntry 12 }

## raqmonParticipantDestPayloadType OBJECT-TYPE

SYNTAX Integer32 (-1|0..127)  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION

"Destination Payload Type.  
 If the value was not reported to the collector, this object will have the value -1."

## REFERENCE

"RFC 3551 and Section 5.25 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 13 }

## raqmonParticipantSrcPayloadType OBJECT-TYPE

SYNTAX Integer32 (-1|0..127)  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION

"Source Payload Type.  
 If the value was not reported to the collector, this object will have the value -1."

## REFERENCE

"RFC 3551 and Section 5.24 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 14 }

## raqmonParticipantActive OBJECT-TYPE

SYNTAX TruthValue  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION

"Value 'true' indicates that the session for this participant is active (open).  
 Value 'false' indicates that the session is closed (terminated)."

::= { raqmonParticipantEntry 15 }

```

raqmonParticipantPeer OBJECT-TYPE
    SYNTAX RowPointer
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The pointer to the corresponding entry in this table for
        the other peer participant.  If there is no such entry
        in the participant table of the collector represented by
        this SNMP agent, then the value will be { 0 0 }.
        "
    ::= { raqmonParticipantEntry 16 }

```

```

raqmonParticipantPeerAddrType OBJECT-TYPE
    SYNTAX InetAddressType
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The type of the Internet address of the peer participant
        for this session."
    ::= { raqmonParticipantEntry 17 }

```

```

raqmonParticipantPeerAddr OBJECT-TYPE
    SYNTAX InetAddress
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The Internet Address of the peer participant for this
        session.  Formatting of this object is determined by
        the value of raqmonParticipantPeerAddrType."
    ::= { raqmonParticipantEntry 18 }

```

```

raqmonParticipantSrcL2Priority OBJECT-TYPE
    SYNTAX Integer32 (-1|0..7)
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Source Layer 2 Priority.
        If the value was not reported to the collector,
        this object will have the value -1."
    REFERENCE
        "Section 5.26 of the [RFC4710]"
    ::= { raqmonParticipantEntry 19 }

```

```

raqmonParticipantDestL2Priority OBJECT-TYPE
    SYNTAX Integer32 (-1|0..7)
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION

```

```

    "Destination Layer 2 Priority.
    If the value was not reported to the collector,
    this object will have the value -1."
REFERENCE
    "Section 5.28 of the [RFC4710]"
::= { raqmonParticipantEntry 20 }

raqmonParticipantSrcDSCP OBJECT-TYPE
SYNTAX Integer32 (-1|0..63)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Source Layer 3 DSCP value.
    If the value was not reported to the collector,
    this object will have the value -1."
REFERENCE
    "Section 5.27 of the [RFC4710]"
::= { raqmonParticipantEntry 21 }

raqmonParticipantDestDSCP OBJECT-TYPE
SYNTAX Integer32 (-1|0..63)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Destination Layer 3 DSCP value."
REFERENCE
    "Section 5.29 of the [RFC4710]"
::= { raqmonParticipantEntry 22 }

raqmonParticipantCpuMean OBJECT-TYPE
SYNTAX Integer32 (-1|0..100)
UNITS "percents"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Mean CPU utilization.
    If the value was not reported to the collector,
    this object will have the value -1."
REFERENCE
    "Section 5.30 of the [RFC4710]"
::= { raqmonParticipantEntry 23 }

raqmonParticipantCpuMin OBJECT-TYPE
SYNTAX Integer32 (-1|0..100)
UNITS "percents"
MAX-ACCESS read-only
STATUS current
DESCRIPTION

```

```
"Minimum CPU utilization.
  If the value was not reported to the collector,
  this object will have the value -1."
REFERENCE
  "Section 5.30 of the [RFC4710]"
 ::= { raqmonParticipantEntry 24 }

raqmonParticipantCpuMax OBJECT-TYPE
  SYNTAX Integer32 (-1|0..100)
  UNITS "percents"
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "Maximum CPU utilization.
     If the value was not reported to the collector,
     this object will have the value -1."
  REFERENCE
    "Section 5.30 of the [RFC4710]"
 ::= { raqmonParticipantEntry 25 }

raqmonParticipantMemoryMean OBJECT-TYPE
  SYNTAX Integer32 (-1|0..100)
  UNITS "percents"
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "Mean memory utilization.
     If the value was not reported to the collector,
     this object will have the value -1."
  REFERENCE
    "Section 5.31 of the [RFC4710]"
 ::= { raqmonParticipantEntry 26 }

raqmonParticipantMemoryMin OBJECT-TYPE
  SYNTAX Integer32 (-1|0..100)
  UNITS "percents"
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "Minimum memory utilization.
     If the value was not reported to the collector,
     this object will have the value -1."
  REFERENCE
    "Section 5.31 of the [RFC4710]"
 ::= { raqmonParticipantEntry 27 }

raqmonParticipantMemoryMax OBJECT-TYPE
  SYNTAX Integer32 (-1|0..100)
```



```

UNITS "percents"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Maximum memory utilization.
     If the value was not reported to the collector,
     this object will have the value -1."
REFERENCE
    "Section 5.31 of the [RFC4710]"
 ::= { raqmonParticipantEntry 28 }

```

```

raqmonParticipantNetRTTMean OBJECT-TYPE
SYNTAX Integer32 (-1|0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Mean round-trip end-to-end network
     delay over the entire session.
     If the value was not reported to the collector,
     this object will have the value -1."
REFERENCE
    "Section 5.11 of the [RFC4710]"
 ::= { raqmonParticipantEntry 29 }

```

```

raqmonParticipantNetRTTMin OBJECT-TYPE
SYNTAX Integer32 (-1|0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Minimum round-trip end-to-end network delay
     over the entire session.
     If the value was not reported to the collector,
     this object will have the value -1."
REFERENCE
    "Section 5.11 of the [RFC4710]"
 ::= { raqmonParticipantEntry 30 }

```

```

raqmonParticipantNetRTTMax OBJECT-TYPE
SYNTAX Integer32 (-1|0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Maximum round-trip end-to-end network delay
     over the entire session.
     If the value was not reported to the collector,

```

```

        this object will have the value -1."
REFERENCE
    "Section 5.11 of the [RFC4710]"
 ::= { raqmonParticipantEntry 31 }

raqmonParticipantIAJitterMean OBJECT-TYPE
SYNTAX Integer32 (-1|0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Mean inter-arrival jitter over the entire session.
     If the value was not reported to the collector,
     this object will have the value -1."
REFERENCE
    "Section 5.14 of the [RFC4710]"
 ::= { raqmonParticipantEntry 32 }

raqmonParticipantIAJitterMin OBJECT-TYPE
SYNTAX Integer32 (-1|0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Minimum inter-arrival jitter over the entire session.
     If the value was not reported to the collector,
     this object will have the value -1."
REFERENCE
    "Section 5.14 of the [RFC4710]"
 ::= { raqmonParticipantEntry 33 }

raqmonParticipantIAJitterMax OBJECT-TYPE
SYNTAX Integer32 (-1|0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Maximum inter-arrival jitter over the entire session.
     If the value was not reported to the collector,
     this object will have the value -1."
REFERENCE
    "Section 5.14 of the [RFC4710]"
 ::= { raqmonParticipantEntry 34 }

raqmonParticipantIPDVMean OBJECT-TYPE
SYNTAX Integer32 (-1|0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only

```

STATUS current  
DESCRIPTION  
"Mean IP packet delay variation over the entire session.  
If the value was not reported to the collector,  
this object will have the value -1."

REFERENCE  
"Section 5.15 of the [RFC4710]"  
::= { raqmonParticipantEntry 35 }

raqmonParticipantIPDVMin OBJECT-TYPE  
SYNTAX Integer32 (-1|0..2147483647)  
UNITS "milliseconds"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"Minimum IP packet delay variation over the entire  
session. If the value was not reported to the  
collector, this object will have the value -1."

REFERENCE  
"Section 5.15 of the [RFC4710]"  
::= { raqmonParticipantEntry 36 }

raqmonParticipantIPDVMax OBJECT-TYPE  
SYNTAX Integer32 (-1|0..2147483647)  
UNITS "milliseconds"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"Maximum IP packet delay variation over the entire  
session. If the value was not reported to the  
collector, this object will have the value -1."

REFERENCE  
"Section 5.15 of the [RFC4710]"  
::= { raqmonParticipantEntry 37 }

raqmonParticipantNetOwdMean OBJECT-TYPE  
SYNTAX Integer32 (-1|0..2147483647)  
UNITS "milliseconds"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"Mean Network one-way delay over the entire session.  
If the value was not reported to the collector,  
this object will have the value -1."

REFERENCE  
"Section 5.12 of the [RFC4710]"  
::= { raqmonParticipantEntry 38 }

```
raqmonParticipantNetOwdMin OBJECT-TYPE
    SYNTAX Integer32 (-1|0..2147483647)
    UNITS "milliseconds"
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Minimum Network one-way delay over the entire session.
        If the value was not reported to the collector,
        this object will have the value -1."
    REFERENCE
        "Section 5.12 of the [RFC4710]"
    ::= { raqmonParticipantEntry 39 }

raqmonParticipantNetOwdMax OBJECT-TYPE
    SYNTAX Integer32 (-1|0..2147483647)
    UNITS "milliseconds"
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Maximum Network one-way delay over the entire session.
        If the value was not reported to the collector,
        this object will have the value -1."
    REFERENCE
        "Section 5.1 of the [RFC4710]"
    ::= { raqmonParticipantEntry 40 }

raqmonParticipantAppDelayMean OBJECT-TYPE
    SYNTAX Integer32 (-1|0..2147483647)
    UNITS "milliseconds"
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Mean application delay over the entire session.
        If the value was not reported to the collector,
        this object will have the value -1."
    REFERENCE
        "Section 5.13 of the [RFC4710]"
    ::= { raqmonParticipantEntry 41 }

raqmonParticipantAppDelayMin OBJECT-TYPE
    SYNTAX Integer32 (-1|0..2147483647)
    UNITS "milliseconds"
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Minimum application delay over the entire session.
        If the value was not reported to the collector,
        this object will have the value -1."
```

## REFERENCE

"Section 5.13 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 42 }

## raqmonParticipantAppDelayMax OBJECT-TYPE

SYNTAX Integer32 (-1|0..2147483647)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Maximum application delay over the entire session.  
 If the value was not reported to the collector,  
 this object will have the value -1."

## REFERENCE

"Section 5.13 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 43 }

## raqmonParticipantPacketsRcvd OBJECT-TYPE

SYNTAX Integer32 (-1|0..2147483647)

UNITS "packets"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Count of packets received for the entire session.  
 If the value was not reported to the collector,  
 this object will have the value -1."

## REFERENCE

"Section 5.16 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 44 }

## raqmonParticipantPacketsSent OBJECT-TYPE

SYNTAX Integer32 (-1|0..2147483647)

UNITS "packets"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Count of packets sent for the entire session.  
 If the value was not reported to the collector,  
 this object will have the value -1."

## REFERENCE

"Section 5.17 of the [RFC4710]"  
 ::= { raqmonParticipantEntry 45 }

## raqmonParticipantOctetsRcvd OBJECT-TYPE

SYNTAX Integer32 (-1|0..2147483647)

UNITS "Octets"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Count of octets received for the entire session.  
If the value was not reported to the collector,  
this object will have the value -1."

## REFERENCE

"Section 5.18 of the [RFC4710]"  
::= { raqmonParticipantEntry 46 }

## raqmonParticipantOctetsSent OBJECT-TYPE

SYNTAX Integer32 (-1|0..2147483647)

UNITS "Octets"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Count of octets sent for the entire session.  
If the value was not reported to the collector,  
this object will have the value -1."

## REFERENCE

"Section 5.19 of the [RFC4710]"  
::= { raqmonParticipantEntry 47 }

## raqmonParticipantLostPackets OBJECT-TYPE

SYNTAX Integer32 (-1|0..2147483647)

UNITS "packets"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Count of packets lost by this receiver for the entire  
session.  
If the value was not reported to the collector,  
this object will have the value -1."

## REFERENCE

"Section 5.20 of the [RFC4710]"  
::= { raqmonParticipantEntry 48 }

## raqmonParticipantLostPacketsFrct OBJECT-TYPE

SYNTAX Integer32 (-1|0..100)

UNITS "percents"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Fraction of lost packets out of total packets received.  
If the value was not reported to the collector,  
this object will have the value -1."

## REFERENCE

"Section 5.21 of the [RFC4710]"  
::= { raqmonParticipantEntry 49 }

```

raqmonParticipantDiscards OBJECT-TYPE
    SYNTAX Integer32 (-1|0..2147483647)
    UNITS "packets"
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Count of packets discarded by this receiver for the
        entire session.
        If the value was not reported to the collector,
        this object will have the value -1."
    REFERENCE
        "Section 5.22 of the [RFC4710]"
    ::= { raqmonParticipantEntry 50 }

```

```

raqmonParticipantDiscardsFrct OBJECT-TYPE
    SYNTAX Integer32 (-1|0..100)
    UNITS "percents"
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Fraction of discarded packets out of total packets
        received. If the value was not reported to the
        collector, this object will have the value -1."
    REFERENCE
        "Section 5.23 of the [RFC4710]"
    ::= { raqmonParticipantEntry 51 }

```

```

raqmonQosTable OBJECT-TYPE
    SYNTAX SEQUENCE OF RaqmonQosEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Table of historical information about quality-of-service
        data during sessions."
    ::= { raqmonSession 2 }

```

```

raqmonQosEntry OBJECT-TYPE
    SYNTAX RaqmonQosEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Each entry contains information from a single RAQMON
        packet, related to a single session
        (application) run by one participant.
        Indexation by the start time of the session aims
        to ease sorting by management applications. Agents MUST
        NOT report identical start times for any two sessions"

```

on the same host.  
 Rows are removed for inactive sessions when  
 implementation-specific time or space limits are  
 reached."

```
INDEX { raqmonParticipantStartDate,
        raqmonParticipantIndex,
        raqmonQosTime }
 ::= { raqmonQosTable 1 }
```

```
RaqmonQosEntry ::=
SEQUENCE {
    raqmonQosTime           Unsigned32,
    raqmonQoSEnd2EndNetDelay Integer32,
    raqmonQoSInterArrivalJitter Integer32,
    raqmonQoSReceivedPackets Integer32,
    raqmonQoSReceivedOctets Integer32,
    raqmonQoSENTPackets Integer32,
    raqmonQoSENTOctets Integer32,
    raqmonQoSLOSTPackets Integer32,
    raqmonQoSSessionStatus SnmpAdminString
}
```

```
raqmonQosTime OBJECT-TYPE
SYNTAX Unsigned32 (0..2147483647)
UNITS "seconds"
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "Time of this entry measured from the start of the
    corresponding participant session."
 ::= { raqmonQosEntry 1 }
```

```
raqmonQoSEnd2EndNetDelay OBJECT-TYPE
SYNTAX Integer32 (-1 | 0..2147483647)
UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The round-trip time.
    Will contain the previous value if there was no report
    for this time, or -1 if the value has never
    been reported."
REFERENCE
    "Section 5.11 of the [RFC4710]"
 ::= { raqmonQosEntry 2 }
```

```
raqmonQoSInterArrivalJitter OBJECT-TYPE
SYNTAX Integer32 (-1 | 0..2147483647)
```



```

UNITS "milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "An estimate of delay variation as observed by this
    receiver. Will contain the previous value if there
    was no report for this time, or -1 if the value
    has never been reported."
REFERENCE
    "Section 5.14 of the [RFC4710]"
 ::= { raqmonQosEntry 3 }

```

```

raqmonQosRcvdPackets OBJECT-TYPE
SYNTAX Integer32 (-1 | 0..2147483647)
UNITS "packets"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Count of packets received by this receiver since the
    previous entry. Will contain the previous value if
    there was no report for this time, or -1 if the value
    has never been reported."
REFERENCE
    "Section 5.16 of the [RFC4710]"
 ::= { raqmonQosEntry 4 }

```

```

raqmonQosRcvdOctets OBJECT-TYPE
SYNTAX Integer32 (-1 | 0..2147483647)
UNITS "octets"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Count of octets received by this receiver since the
    previous report. Will contain the previous value if
    there was no report for this time, or -1 if the value
    has never been reported."
REFERENCE
    "Section 5.18 of the [RFC4710]"
 ::= { raqmonQosEntry 5 }

```

```

raqmonQosSentPackets OBJECT-TYPE
SYNTAX Integer32 (-1 | 0..2147483647)
UNITS "packets"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Count of packets sent since the previous report.
    Will contain the previous value if there

```

was no report for this time, or -1 if the value has never been reported."

## REFERENCE

"Section 5.17 of the [RFC4710]"  
 ::= { raqmonQosEntry 6 }

## raqmonQosSentOctets OBJECT-TYPE

SYNTAX Integer32 (-1 | 0..2147483647)

UNITS "octets"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Count of octets sent since the previous report. Will contain the previous value if there was no report for this time, or -1 if the value has never been reported."

## REFERENCE

"Section 5.19 of the [RFC4710]"  
 ::= { raqmonQosEntry 7 }

## raqmonQosLostPackets OBJECT-TYPE

SYNTAX Integer32 (-1 | 0..2147483647)

UNITS "packets"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"A count of packets lost as observed by this receiver since the previous report. Will contain the previous value if there was no report for this time, or -1 if the value has never been reported."

## REFERENCE

"Section 5.20 of the [RFC4710]"  
 ::= { raqmonQosEntry 8 }

## raqmonQosSessionStatus OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The session status. Will contain the previous value if there was no report for this time or the zero-length string if no value was ever reported."

## REFERENCE

"Section 5.10 of the [RFC4710]"  
 ::= { raqmonQosEntry 9 }

## raqmonParticipantAddrTable OBJECT-TYPE

SYNTAX SEQUENCE OF RaqmonParticipantAddrEntry  
 MAX-ACCESS not-accessible  
 STATUS current  
 DESCRIPTION

"Maps raqmonParticipantAddr to the index of the raqmonParticipantTable. This table allows management applications to find entries sorted by raqmonParticipantAddr rather than raqmonParticipantStartDate."

::= { raqmonSession 3 }

raqmonParticipantAddrEntry OBJECT-TYPE

SYNTAX RaqmonParticipantAddrEntry  
 MAX-ACCESS not-accessible  
 STATUS current  
 DESCRIPTION

"Each entry corresponds to exactly one entry in the raqmonParticipantEntry: the entry containing the index pair raqmonParticipantStartDate, raqmonParticipantIndex.

Note that there is no concern about the indexation of this table exceeding the limits defined by RFC 2578, Section 3.5. According to [RFC4710], Section 5.1, only IPv4 and IPv6 addresses can be reported as participant addresses."

INDEX { raqmonParticipantAddrType,  
 raqmonParticipantAddr,  
 raqmonParticipantStartDate,  
 raqmonParticipantIndex }

::= { raqmonParticipantAddrTable 1 }

RaqmonParticipantAddrEntry ::=

SEQUENCE { raqmonParticipantAddrEndDate DateAndTime }

raqmonParticipantAddrEndDate OBJECT-TYPE

SYNTAX DateAndTime  
 MAX-ACCESS read-only  
 STATUS current  
 DESCRIPTION

"The value of raqmonParticipantEndDate for the corresponding raqmonParticipantEntry."

::= { raqmonParticipantAddrEntry 1 }

raqmonException OBJECT IDENTIFIER ::= { raqmonMIBObjects 2 }

raqmonSessionExceptionTable OBJECT-TYPE

SYNTAX SEQUENCE OF RaqmonSessionExceptionEntry  
 MAX-ACCESS not-accessible  
 STATUS current  
 DESCRIPTION

"This table defines thresholds for the management station to get notifications about sessions that encountered poor quality of service.

The information in this table MUST be persistent across agent reboots."

::= { raqmonException 2 }

raqmonSessionExceptionEntry OBJECT-TYPE

SYNTAX RaqmonSessionExceptionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the raqmonSessionExceptionTable."

INDEX { raqmonSessionExceptionIndex }

::= { raqmonSessionExceptionTable 1 }

RaqmonSessionExceptionEntry ::=

SEQUENCE {

    raqmonSessionExceptionIndex                    Unsigned32,

    raqmonSessionExceptionIAJitterThreshold      Unsigned32,

    raqmonSessionExceptionNetRTTThreshold         Unsigned32,

    raqmonSessionExceptionLostPacketsThreshold  Unsigned32,

    raqmonSessionExceptionRowStatus              RowStatus

}

raqmonSessionExceptionIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the raqmonSessionExceptionTable.

Management applications can determine unused indices by performing GetNext or GetBulk operations on the Table."

::= { raqmonSessionExceptionEntry 2 }

raqmonSessionExceptionIAJitterThreshold OBJECT-TYPE

SYNTAX Unsigned32

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

```
    "Threshold for jitter.
    The value during a session must be greater than or
    equal to this value for an exception to be created."
 ::= { raqmonSessionExceptionEntry 3 }
```

```
raqmonSessionExceptionNetRTTThreshold OBJECT-TYPE
SYNTAX Unsigned32
UNITS "milliseconds"
MAX-ACCESS read-create
STATUS current
DESCRIPTION
    "Threshold for round-trip time.
    The value during a session must be greater than or
    equal to this value for an exception to be created."
 ::= { raqmonSessionExceptionEntry 4 }
```

```
raqmonSessionExceptionLostPacketsThreshold OBJECT-TYPE
SYNTAX Unsigned32 (0..1000)
UNITS "tenth of a percent"
MAX-ACCESS read-create
STATUS current
DESCRIPTION
    "Threshold for lost packets in units of tenths
    of a percent. The value during a session must
    be greater than or equal to this value for an
    exception to be created."
 ::= { raqmonSessionExceptionEntry 5 }
```

```
raqmonSessionExceptionRowStatus OBJECT-TYPE
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
    "This object has a value of 'active' when
    exceptions are being monitored by the system.
    A newly-created conceptual row must have all
    the read-create objects initialized before
    becoming 'active'. A conceptual row that is in
    the 'notReady' or 'notInService' state MAY be
    removed after 5 minutes. No writeable objects
    can be changed while the row is active."
 ::= { raqmonSessionExceptionEntry 7 }
```

```
raqmonConfig OBJECT IDENTIFIER ::= { raqmonMIBObjects 3 }
```

```
raqmonConfigPort OBJECT-TYPE
SYNTAX InetPortNumber
```

```

MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "The UDP port to listen on for RAQMON reports,
    running on transport protocols other than SNMP.
    If the RAQMON PDU transport protocol is SNMP,
    a write operation on this object has no effect, as
    the standard port 162 is always used.
    The value of this object MUST be persistent across
    agent reboots."
 ::= { raqmonConfig 1 }

raqmonConfigPduTransport OBJECT-TYPE
    SYNTAX BITS
        {
            other(0),
            tcp(1),
            snmp(2)
        }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The PDU transport(s) used by this collector.
        If other(0) is set, the collector supports a
        transport other than SNMP or TCP.
        If tcp(1) is set, the collector supports TCP as a
        transport protocol.
        If snmp(2) is set, the collector supports SNMP as a
        transport protocol."
 ::= { raqmonConfig 2 }

```

```

raqmonConfigRaqmonPdus OBJECT-TYPE
    SYNTAX Counter32
    UNITS "PDUs"
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Count of RAQMON PDUs received by the Collector."
 ::= { raqmonConfig 3 }

```

```

raqmonConfigRDSTimeout OBJECT-TYPE
    SYNTAX Unsigned32
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "The number of seconds since the reception of the
        last RAQMON PDU from a RDS after which a session

```

between the respective RDS and the collector will be considered terminated.

The value of this object MUST be persistent across agent reboots."

```
::= { raqmonConfig 4 }
```

```
raqmonConformance OBJECT IDENTIFIER ::= { raqmonMIB 2 }
```

```
raqmonCompliances OBJECT IDENTIFIER ::= { raqmonConformance 1 }
```

```
raqmonGroups OBJECT IDENTIFIER ::= { raqmonConformance 2 }
```

```
raqmonCompliance MODULE-COMPLIANCE
```

```
STATUS current
```

```
DESCRIPTION
```

```
"Describes the requirements for conformance to the
  RAQMON MIB."
```

```
MODULE -- this module
```

```
MANDATORY-GROUPS { raqmonCollectorGroup,
                    raqmonCollectorNotificationsGroup
                    }
```

```
OBJECT raqmonParticipantAddrType
```

```
SYNTAX InetAddressType { ipv4(1), ipv6(2) }
```

```
DESCRIPTION
```

```
"Only IPv4 and IPv6 addresses need to be supported."
```

```
OBJECT raqmonParticipantAddr
```

```
SYNTAX InetAddress (SIZE(4|16))
```

```
DESCRIPTION
```

```
"Only IPv4 and IPv6 addresses need to be supported."
```

```
OBJECT raqmonParticipantPeerAddrType
```

```
SYNTAX InetAddressType { ipv4(1), ipv6(2) }
```

```
DESCRIPTION
```

```
"Only IPv4 and IPv6 addresses need to be supported."
```

```
OBJECT raqmonParticipantPeerAddr
```

```
SYNTAX InetAddress (SIZE(4|16))
```

```
DESCRIPTION
```

```
"Only IPv4 and IPv6 addresses need to be supported."
```

```
::= { raqmonCompliances 1 }
```

```
raqmonCollectorGroup OBJECT-GROUP
  OBJECTS {
    raqmonParticipantReportCaps,
    raqmonParticipantAddrType,
    raqmonParticipantAddr,
    raqmonParticipantSendPort,
    raqmonParticipantRecvPort,
    raqmonParticipantSetupDelay,
    raqmonParticipantName,
    raqmonParticipantAppName,
    raqmonParticipantQosCount,
    raqmonParticipantEndDate,
    raqmonParticipantDestPayloadType,
    raqmonParticipantSrcPayloadType,
    raqmonParticipantActive,
    raqmonParticipantPeer,
    raqmonParticipantPeerAddrType,
    raqmonParticipantPeerAddr,
    raqmonParticipantSrcL2Priority,
    raqmonParticipantDestL2Priority,
    raqmonParticipantSrcDSCP,
    raqmonParticipantDestDSCP,
    raqmonParticipantCpuMean,
    raqmonParticipantCpuMin,
    raqmonParticipantCpuMax,
    raqmonParticipantMemoryMean,
    raqmonParticipantMemoryMin,
    raqmonParticipantMemoryMax,
    raqmonParticipantNetRTTMean,
    raqmonParticipantNetRTTMin,
    raqmonParticipantNetRTTMax,
    raqmonParticipantIAJitterMean,
    raqmonParticipantIAJitterMin,
    raqmonParticipantIAJitterMax,
    raqmonParticipantIPDVMean,
    raqmonParticipantIPDVMin,
    raqmonParticipantIPDVMax,
    raqmonParticipantNetOwdMean,
    raqmonParticipantNetOwdMin,
    raqmonParticipantNetOwdMax,
    raqmonParticipantAppDelayMean,
    raqmonParticipantAppDelayMin,
    raqmonParticipantAppDelayMax,
    raqmonParticipantPacketsRcvd,
    raqmonParticipantPacketsSent,
    raqmonParticipantOctetsRcvd,
    raqmonParticipantOctetsSent,
    raqmonParticipantLostPackets,
```



```

raqmonParticipantLostPacketsFrct,
raqmonParticipantDiscards,
raqmonParticipantDiscardsFrct,
raqmonQoSEnd2EndNetDelay,
raqmonQoSInterArrivalJitter,
raqmonQoSReceivedPackets,
raqmonQoSReceivedOctets,
raqmonQoSReceivedPackets,
raqmonQoSReceivedOctets,
raqmonQoSLostPackets,
raqmonQoSSessionStatus,
raqmonParticipantAddrEndDate,
raqmonConfigPort,
raqmonSessionExceptionIAJitterThreshold,
raqmonSessionExceptionNetRTTThreshold,
raqmonSessionExceptionLostPacketsThreshold,
raqmonSessionExceptionRowStatus,
raqmonConfigPduTransport,
raqmonConfigRaqmonPdus,
raqmonConfigRDSTimeout}
STATUS current
DESCRIPTION
    "Objects used in RAQMON by a collector."

```

```
 ::= { raqmonGroups 1 }
```

```

raqmonCollectorNotificationsGroup NOTIFICATION-GROUP
NOTIFICATIONS { raqmonSessionAlarm }
STATUS current
DESCRIPTION
    "Notifications emitted by a RAQMON collector."
 ::= { raqmonGroups 2 }

```

END

## 6. Security Considerations

There are a number of management objects defined in this MIB module with a MAX-ACCESS clause of read-write. Such objects may be considered sensitive or vulnerable in some network environments. The support for SET operations in a non-secure environment without proper protection can have a negative effect on network operations.

Setting the value of the object raqmonRDSTimeout to too low a value would result in RDS sessions being terminated sooner than necessary, while setting at too high a value may result in terminated sessions continuing to be managed, with unnecessary memory allocations.

Setting the following object to incorrect values can result in the collectors either flooding the management applications with unnecessary notifications, or not sending notifications when the QoS in the network may be degraded.

```
raqmonSessionExceptionIAJitterThreshold
raqmonSessionExceptionRTTThreshold
raqmonSessionExceptionLostPacketsThreshold
```

Setting the raqmonConfigPort object to incorrect values can result in the collector not being able to receive RAQMON PDUs from the data sources.

Some of the readable objects in this MIB module (i.e., objects with a MAX-ACCESS other than not-accessible) may be considered sensitive or vulnerable in some network environments. These are:

```
raqmonParticipantTable
raqmonQoSTable
raqmonParticipantAddrTable
```

Unauthorized exposure of these objects may lead to disclosure of the addresses of the participants in applications, or information about the traffic patterns of the applications, which may be considered sensitive in certain environments.

It is thus important to control even GET and/or NOTIFY access to these objects and possibly to even encrypt their values when sending them over the network via SNMP.

The structure of the RAQMON tables limits what can be usefully done for access control configuration using View-based Access Control Model (VACM). For example, with these structures it would not be possible to provide a group, with access to performance data for a specific group of devices, since the index values for raqmonParticipantEntry cannot be known in advance. Likewise, raqmonSessionExceptionEntries apply to all entries in the raqmonQoSTable.

SNMP versions prior to SNMPv3 did not include adequate security. Even if the network itself is secure (for example by using IPsec), even then, there is no control as to who on the secure network is allowed to access and GET/SET (read/change/create/delete) the objects in this MIB module.

It is RECOMMENDED that implementers consider the security features as provided by the SNMPv3 framework (see [RFC3410], section 8), including full support for the SNMPv3 cryptographic mechanisms (for authentication and privacy).

Further, deployment of SNMP versions prior to SNMPv3 is NOT RECOMMENDED. Instead, it is RECOMMENDED to deploy SNMPv3 and to enable cryptographic security. It is then a customer/operator responsibility to ensure that the SNMP entity giving access to an instance of this MIB module is properly configured to give access to the objects only to those principals (users) that have legitimate rights to indeed GET or SET (change/create/delete) them.

## 7. IANA Considerations

No requirements from IANA are defined in this document. The root OID of the MIB module defined in this document belongs to the RMON subtree, as reserved in [RFC3737].

## 8. Acknowledgements

Richard Smith created the first proprietary version of this MIB.

The authors would also like to thank all the participants in the Remote Monitoring MIB Working Group, and especially Andy Bierman, Steven Waldbusser, Alan Clark, Itai Zilbershtein, and Robert Cole for interesting discussions, ideas, comments, and direct contributions to this work.

The authors would also like to thank Randy Presuhn for the precious technical comments, as well as for the laborious activity of reviewing the syntax and spelling of the document.

The authors would like to thank Bert Wijnen for the review of the final versions of the document, as well as for the guidance provided during the whole period of editing.

## 9. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997.
- [RFC2578] McCloghrie, K., Perkins, D., Schoenwaelder, J., Case, J., Rose, M., and S. Waldbusser, "Structure of Management Information Version 2 (SMIV2)", STD 58, RFC 2578, April 1999.
- [RFC2579] McCloghrie, K., Perkins, D., Schoenwaelder, J., Case, J., Rose, M., and S. Waldbusser, "Textual Conventions for SMIV2", STD 58, RFC 2579, April 1999.
- [RFC2580] McCloghrie, K., Perkins, D., Schoenwaelder, J., Case, J., Rose, M., and S. Waldbusser, "Conformance Statements for SMIV2", STD 58, RFC 2580, April 1999.
- [RFC2819] Waldbusser, S., "Remote Network Monitoring Management Information Base", STD 59, RFC 2819, May 2000.
- [RFC3411] Harrington, D., Preshun, R., and B. Wijnen, "An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks", STD 62, RFC 3411, December 2002.
- [RFC4001] Daniele, M., Haberman, B., Routhier, S., and J. Schoenwalder, "Textual Conventions for Internet Network Addresses", RFC 4001, February 2005.
- [RFC4710] Siddiqui, A., Romascanu, D., and E. Golovinsky, "Real-time Application Quality-of-Service Monitoring (RAQMON) Framework", RFC 4710, October 2006.

## 10. Informative References

- [RFC3410] Case, J., Mundy, R., Partain, D., and B. Stewart, "Introduction and Applicability Statements for Internet-Standard Management Framework", RFC 3410, December 2002.
- [RFC4712] Siddiqui, A., Romascanu, D., Golovinsky, E., Ramhman, M., and Y. Kim, "Transport Mappings for Real-time Application Quality-of-Service Monitoring (RAQMON) Protocol Data Unit (PDU)", RFC 4712, October 2006.
- [RFC3737] Wijnen, B. and A. Bierman, "IANA Guidelines for the Registry of Remote Monitoring (RMON) MIB modules", RFC 3737, April 2004.

## Authors' Addresses

Anwar A. Siddiqui  
Avaya Labs  
307 Middletown Lincroft Road  
Lincroft, New Jersey 07738  
USA

Phone: +1 732 852-3200  
Fax: +1 732 817-5922  
EMail: anwars@avaya.com

Dan Romascanu  
Avaya  
Atidim Technology Park, Bldg. #3  
Tel Aviv, 61131  
Israel

Phone: +972 3-645-8414  
EMail: dromasca@avaya.com

Eugene Golovinsky

EMail: gene@alertlogic.net

## Full Copyright Statement

Copyright (C) The Internet Society (2006).

This document is subject to the rights, licenses and restrictions contained in BCP 78, and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in BCP 78 and BCP 79.

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at [ietf-ipr@ietf.org](mailto:ietf-ipr@ietf.org).

## Acknowledgement

Funding for the RFC Editor function is provided by the IETF Administrative Support Activity (IASA).

